Freestanding mailbox STORM for 4 households – 2-column – RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | with 4 mailboxes (2x2)



Product number 480STQ-4-2X2-7016

Product description

Freestanding STORM mailbox system for 4 households – ideal for smaller apartment buildings

The STORM freestanding mailbox system for 4 households combines a clear, modern design with very high material and workmanship quality. The four mail compartments are arranged in a balanced way and remain easily accessible for residents and postal carriers, without the grid layout itself becoming the main design feature. The system is conceived as a durable entrance solution for residential and commercial properties and is manufactured by the mailbox manufactory in Germany.

The mailboxes, the rain canopy and the side claddings are made from **high-quality galvanised steel** and are **powder-coated in RAL 7016 Anthracite grey, fine-textured matt**. The **40 × 40 mm support posts of stainless steel V2A 1.4301, brushed** form an intentionally high-quality material contrast. It is precisely the combination of the finely textured anthracite-grey surface and brushed stainless steel that defines the quality character of the STORM series.

Each mailbox has a 35 × 340 mm insertion opening for DIN C4 post in landscape format. Noise-damping rubber buffers, a downward-opening retrieval door with opening stop, a mail retention bar and two keys with key number per mailbox ensure comfortable use. The mailboxes comply with DIN EN 13724.

Advantages of the STORM freestanding mailbox system at a glance

Ideal for smaller apartment buildings

Four separate and lockable mailboxes, compliance with DIN EN 13724 and manufacturing in Germany make this STORM system a high-quality solution for smaller apartment buildings. The focus is on durable materials, precise workmanship and a representative design for the property entrance.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Very high material quality of the mailboxes

All 4 mailboxes as well as the rain canopy and side claddings are made from galvanised steel. The powder coating in RAL 7016 Anthracite grey, fine-textured matt creates a high-quality, homogeneous surface and emphasises the unit’s clean-lined architecture.

High-quality support posts in brushed stainless steel

The 40 × 40 mm support posts are made of stainless steel V2A 1.4301 and have a brushed finish. The high-quality stainless steel forms the robust base of the system and provides a purposely elegant contrast to the anthracite-grey mailbox surface.

DIN C4 insertion and comfortable mail retrieval

All mail compartments feature a 35 × 340 mm insertion opening for DIN C4 envelopes in landscape format. Rubber buffers reduce impact noise; an opening stop and mail retention bar support comfortable retrieval.

Freestanding and flexible to plan

The unit is suitable for free positioning at the property entrance and can, depending on the version, be cast into concrete or bolted to a load-bearing foundation. For bolt mounting, the appropriate anchor bolts must be selected separately to match the foundation and local installation conditions.

Equipment and high-quality materials

Mailboxes and finish

Number of mailboxes 4 separately lockable mailboxes
Arrangement 2 columns × 2 rows
Mailbox material Galvanised steel
Mailbox finish RAL 7016 Anthracite grey, fine-textured matt, powder-coated
Rain canopy and side cladding Galvanised steel, RAL 7016 Anthracite grey, fine-textured matt
Standard Mailboxes in accordance with DIN EN 13724

Mail convenience

Insertion opening 35 × 340 mm per mailbox, suitable for DIN C4 landscape
Insertion flaps With high-quality, noise-damping rubber buffers
Mail retrieval Front-facing, downward-opening retrieval door with opening stop
Mail retention bar Integrated in every mailbox
Keys 8 keys in total, 2 per mailbox, with key number
Nameplates 4 protected interchangeable nameplates under the insertion flaps

Support posts and mounting

Support post material Stainless steel V2A 1.4301
Cross-section 40 × 40 mm
Support post finish Brushed stainless steel
Mounting options Choice of casting into concrete or bolt mounting
Anchor bolts For bolt mounting not included; to be selected separately to suit the foundation

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Installation by casting into concrete

The stainless steel support posts must be anchored plumb in a sufficiently dimensioned foundation. Foundation size and design must be matched to ground conditions, system weight and local loads.

Bolt mounting on a foundation

Bolt mounting requires a flat and load-bearing foundation. The necessary anchor bolts are not included and must be selected separately to suit the existing foundation design.

Note on weather protection

For optimal protection, mail items must be fully inserted so that the insertion flaps can close completely. A sheltered location further reduces direct exposure to the elements.

Product properties

Material	Steel, galvanised
Series	STORM
Boxes by volume	Normal > 10 litres
Number of boxes	with 4 letterboxes
Mounting type	Free-standing
House number	House number as laser engraving
Surface/colour	RAL 7016 anthracite grey
Name labelling	Laser-engraved
Removal of mail	On the front

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	330.0
Width of single box in mm	370.0
Capacity in litres	12.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	340.0
Height of letterbox in mm	661.5
Width of letterbox system in mm	742.0 | 752.0
Overall height in mm	1200.0 | 1500.0 + 30.0
Total width in mm	742.0 | 752.0
Depth in mm	100.0 + 40.0
Weight in kg	32
Delivery condition	Mounting kit for self-installation


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618