9-unit stainless-steel freestanding mailbox Design BASIC Plus 385 220 X ST R - V2A stainless steel | 300x220x385 mm (WxHxD) - ???? Large 25 litres | Stainless steel, brushed | with 9 mailboxes



Product number 385XR220-VA-9

Product description

Stainless steel freestanding mailbox system BASIC Plus 385 220 X ST-R for 9 parties – V2A brushed

The BASIC Plus 385X ST-R freestanding mailbox system for 9 parties is a high-quality freestanding solution for larger apartment buildings, residential complexes and commercial properties. The balanced multi-tenant arrangement uses width and height efficiently and results in a calm, clearly structured front.

Mailboxes and support posts are made from stainless steel V2A 1.4301 with a brushed finish. The uniform stainless steel surface appears high-quality and timeless while being easy to maintain and durable for daily outdoor use.

Each mailbox offers a volume of approx. 25 litres. The 35 × 265 mm insertion slot is designed for DIN-C4 items in portrait format. A noise-dampening rubber lip on the mail flap, front access for mail retrieval and robust doors that open from left to right ensure practical everyday use.

The advantages of the BASIC Plus 385X ST-R system at a glance

Solid stainless steel support posts

Ø 60 mm thick support posts made from brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

25 litres mail volume per mailbox

The mail compartments measuring 300 × 220 × 385 mm (W × H × D) each offer approx. 25 litres of volume. The 35 × 265 mm insertion slot also accepts larger DIN C4 mail in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

Rubber lips dampen the mail flaps. Each compartment features a robust lock, two keys with key number and a protected replaceable nameplate beneath the insertion slot.

Screw fixing or embedding in concrete

Depending on the version, the stainless steel support posts are either screwed to a load-bearing foundation or permanently embedded in concrete. This allows the system to be installed to suit the structural situation.

Completely in brushed stainless steel

The brushed V2A finish unites mailboxes and support posts into a uniform, high-quality stainless steel system. BASIC Plus stands for modular construction, good spare parts availability and German quality manufacturing.

Equipment of the BASIC Plus 385X ST-R mailbox system

Mailbox system

Number of mailboxes 9 individually lockable compartments
Individual compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Stainless steel V2A 1.4301, brushed
Insertion slot 35 × 265 mm, suitable for DIN C4 portrait
Standard Mailboxes in accordance with DIN EN 13724

Mail and operation

Mail flaps With noise-dampening rubber lip
Mail retrieval Front access
Door opening Opens from left to right
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate beneath the insertion slot
Cladding Close-fitting side cladding and robust rain canopy

Support posts and mounting

Support posts Ø 60 mm stainless steel V2A 1.4301, brushed
Mounting options Available for screw fixing or embedding in concrete
Overall height Depends on the selected support post option
Base material Consistent use of stainless steel V2A
Construction Modular and installation-friendly design
Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Installation of the freestanding unit

For screw fixing, a level, sufficiently load-bearing foundation is required. For the version to be embedded in concrete, the support posts must be plumb and permanently anchored in a suitably sized concrete foundation. Fixing and foundation must be matched to the weight of the system, ground conditions and local circumstances.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the mail flaps are closed. Protruding letters or magazines can prevent the flaps from closing completely.

BASIC Plus construction and spare parts

The BASIC Plus series is modular and installation-friendly. The consistent use of stainless steel V2A supports a long service life; spare parts for BASIC Plus systems are available directly.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of boxes	with 9 letterboxes
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	900.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	1065.0
Depth in mm	435.0
Weight in kg	64
Delivery condition	Delivery is made in blocks, freestanding elements / mailbox delivered separately.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618