Stainless steel mailbox Design BASIC Plus 385XW220 for side wall mounting - RAL colour of your choice | Left | with 1 mailbox



Product number 385XW-1S

Product description

Side wall-mounted BASIC Plus 385XW mailbox for 1 party – box position left

The BASIC Plus 385XW is a high-quality stainless steel mailbox for side wall mounting for 1 party. It has been developed for single-family homes, offices and individual commercial units and allows space-saving installation to the side of the front door or on a suitable wall surface.

The compact single unit can be fixed space-efficiently to the side of an entrance area, keeping the actual façade frontage clear.

The mailboxes are made of stainless steel V2A 1.4301 and are powder-coated in a RAL or DB colour of choice. The rain hood and side cladding are also made of stainless steel. The side attachment is via Ø 60.3 mm thick stainless steel posts with a 240-grit brushed finish.

In this product variant the box position is on the left. The side arrangement creates a clear installation edge and makes it possible to align the mailbox unit to suit the structural situation at the entrance.

Benefits of the BASIC Plus 385XW at a glance

Solid stainless steel mounting posts

The side wall attachment is via Ø 60.3 mm posts made of stainless steel V2A 1.4301 with a 240-grit brushed finish. They provide a stable and durable connection between the mailbox unit and the building wall.

Side wall mounting

The 385XW is mounted to the side of a suitable external wall. The box position of this variant is on the left; this allows the unit to be specifically adapted to the existing entrance configuration.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

BASIC Plus in stainless steel V2A

Mailboxes, cladding and fastening elements consistently use stainless steel V2A 1.4301. The powder-coated mailboxes combine a high-quality surface with a durable construction.

DIN C4 letter slot with rubber lip

Each mailbox has a 35 × 265 mm inlet opening suitable for DIN C4 (portrait). A noise-damping rubber lip reduces the impact of the inlet flap.

Robust solution for 1 party

A high-quality single mailbox solution made from stainless steel V2A for modern entrance areas. The modular BASIC-Plus construction also simplifies maintenance and spare-part installation.

Equipment of the BASIC Plus 385XW for 1 party

Mailbox unit

Number of mailboxes 1 mailbox
Arrangement 1 column × 1 row
Material Stainless steel V2A 1.4301
Surface Powder-coated in a RAL/DB colour of choice
Rain hood / side cladding Stainless steel V2A 1.4301, powder-coated in matching colour
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Post and operation

Letter slot 35 × 265 mm per mailbox, suitable for DIN C4 (portrait)
Post volume Approx. 12 litres per mailbox
Inlet flaps With noise-damping rubber lip
Mail removal Front access
Door opening Opens from left to right
Keys 2 keys in total, 2 per mailbox
Nameplates 1 changeable nameplate under the inlet flaps

Side mounting

Box position Left
Mounting posts Ø 60.3 mm stainless steel V2A 1.4301
Post surface 240-grit brushed finish
Type of installation Screw mounting to a suitable house wall
Fastening materials Choose anchor bolts or hanger bolts on site to suit the wall
Standard Mailboxes conforming to DIN EN 13724

Note on side wall mounting

The wall must be clean, even and sufficiently load-bearing for the weight of the complete mailbox unit. Anchor bolts or hanger bolts are not included and must be selected to suit the wall construction, unit weight and the local mounting situation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail items must be fully inserted so that the inlet flaps can close. The inlet front should preferably not be directly exposed to the prevailing weather side. Under extreme weather conditions, moisture may penetrate despite norm-compliant design.

Care and BASIC-Plus construction

Stainless steel V2A is low-maintenance and durable. The modular BASIC-Plus construction has been designed for straightforward installation and good spare-part availability.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height in mm	380
Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	220.0
Width of letterbox system in mm	300.0
Total width in mm	400.0
Depth in mm	435.0
Weight in kg	18
Delivery condition	Delivery is made in blocks, freestanding elements / mailbox delivered split


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618