5-unit surface-mounted mailbox system Design BASIC 385A-9016 AP - RAL 9016 Traffic white | RAL 9016 Traffic White, fine-textured matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 5 mailboxes



Product number 385A-9016-5S

Product description

Slim surface-mounted mailbox system BASIC 385A for 5 units – RAL 9016 Traffic White

The BASIC 385A surface-mounted mailbox system for 5 units is a robust wall solution for apartment buildings, smaller residential complexes as well as office and medical practice premises. The vertically arranged S-configuration reduces horizontal space requirements and makes particularly efficient use of the available wall height.

The mailboxes are made of galvanised steel and are powder-coated in RAL 9016 Traffic White with a fine-textured matte finish. The light surface provides a clear, understated design for modern entrance areas.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm mail aperture is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the insertion flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain canopy and side panels

The rain canopy and side panels combine the individual mailboxes into a single surface-mounted unit. The coordinated cladding ensures a neat frontage and a clean finish against the façade.

DIN C4 aperture and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) compartments each provide approx. 12 litres of volume. The 35 × 265 mm aperture also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Sturdy locks, two keys with key number and protected interchangeable nameplates ensure clear assignment of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail facilitates installation; fixings including screws and wall plugs are included in the described specification.

Light finish in RAL 9016

Traffic White in a matte fine-texture appears bright and streamlined while also protecting the galvanised steel construction of the surface-mounted system. The unit is manufactured in Germany by Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 5 individually lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Galvanised steel, powder-coated in RAL 9016 Traffic White, fine-textured matte finish
Finish RAL 9016 Traffic White, fine-textured matte
Standard DIN EN 13724

Mail and operation

Mail aperture 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the insertion flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Solid, matched to the system
Mounting type Surface wall mounting
Mounting aid Mounting rail
Fixings Screws and wall plugs included; suitability for on-site wall construction must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall structure; for other substrates or external thermal insulation composite systems (ETICS), appropriate fixing solutions must be determined on-site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the insertion flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Removal of mail	On the front
Number of boxes	with 5 letterboxes
Mounting type	Surface-mounted
Surface/colour	RAL 9016 traffic white

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	550.0
Width of letterbox system in mm	300.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	30
Delivery condition	Delivered fully assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618