Freestanding design parcel box GOETHE with 1 letterbox and rear access - sluice system - RAL colour of your choice | with 1 mailbox | Rear mail retrieval | Parcel compartment 400x1200x400



Product number 215-STL-PK-1BK-PE-H

Product description

Freestanding design parcel box GOETHE® with 1 letterbox and rear retrieval - delivery sluice system - RAL colour of your choice

Parcel delivery has changed considerably in recent years – today customers expect more flexibility and security than ever before. With the GOETHE® parcel letterbox from Briefkasten Manufaktur you are choosing an optimal combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminium. Thanks to the retrieval side at the rear, this parcel letterbox is ideal for installation in fences or on property boundaries, allowing you to collect your parcels and letters conveniently and securely from the inside of your property.

The GOETHE® parcel box features a specially designed delivery sluice. Once the courier places your parcel in the sluice and closes it, the parcel automatically drops into the locked retrieval compartment beneath. The delivery sluice is immediately ready for further deliveries thereafter and is automatically isolated from the retrieval compartment itself, providing the highest level of security for your parcels. This construction enables carrier-independent parcel receipt that can be used by any delivery provider (e.g. DHL, DPD, TNT, GLS, Hermes, etc.). The spacious interior of the GOETHE® parcel box is designed to accommodate a DHL Parcel M and even several smaller consignments. Depending on placement, up to four M-sized parcels can be stored simultaneously. Inserting letters, magazines and catalogues is also possible without difficulty (no internal compartment division).

The mailbox dimensions provide a capacity of approx. 32 litres; the large opening guarantees that DIN C4 envelopes and magazines, or post accumulated during several days’ absence, are not creased. The arrangement of the lock is designed so that the retrieval door prevents your post from falling towards you. The drip edge provides optimal protection of the interior post from the weather. The insertion flap is fitted with high-quality hinge dampers, ensuring a quiet closing and preventing annoying rattling caused by weather.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Briefkasten Manufaktur places particular emphasis on the selection of high-quality materials. The use of stainless steel in the manufacture of the GOETHE® parcel box ensures extremely high corrosion resistance and an attractive surface finish. Our quality assurance begins with the selection of our raw material suppliers and only ends when the parcel box arrives with you in the required quality. Trust the GOETHE® parcel box for a secure, flexible and stylish solution to your parcel delivery needs. Be convinced by a product that combines traditional craftsmanship with state-of-the-art technology – in the true spirit of Briefkasten Manufaktur.

Protected utility model under DPMA file number DE: 20 2021 101 679.5

- High-quality parcel letterbox made of stainless steel and aluminium, powder-coated in the RAL colour of your choice.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterbox (H x W 400 x 200 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice.
- Two lever locks, each with two keys, keyed alike.
- Letters are inserted from the front and collection takes place at the rear. Insertion flap with high-quality hinge dampers for very quiet mail insertion.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape, so large envelopes fit without creasing.
- The retrieval door opens from top to bottom. This prevents your post from falling out towards you.
- Parcel box (H x W 400 x 1,200 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice with stainless steel laser engraving.
- Parcel compartment volume: 128 litres. Maximum parcel dimensions: 355 x 375 x 305 mm (W x H x D), corresponding to parcel size M.
- Parcel insertion flap with dampers for quiet closing.
- Optimal protection from rain thanks to rain-drainage edges and a rain hood made of 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Base made of 40 x 40 x 2 mm stainless steel tube 1.4301 V2A, powder-coated in the RAL colour of your choice.
- Invisible fastening inside the post. The overall height is 1.45 m.

Important information

Water protection

To achieve optimal water protection for your post, the letterbox or letterbox system should, if possible, be located under a canopy.

Mail is only protected from water when it is completely deposited in the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not grounds for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Parcel compartment
Number of boxes	with 1 parcel box, with 1 letterbox
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing
House number	House number as laser engraving
Name labelling	Laser-engraved
Boxes by volume	Jumbo > 30 litres
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 200.0 | PK 1200.0
Width of single box in mm	400,0
Capacity in litres	BK 32.0 | PK 128.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Overall height in mm	1450,0
Total width in mm	408,0
Depth in mm	400.0 + 25.0 Rain roof
Weight in kg	68
Delivery condition	Delivery is assembled


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618