7-unit stainless steel surface-mounted mailbox system Design BASIC Plus 385XA AP - RAL colour of your choice | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | ? Colour of your choice | with 7 mailboxes



Product number 385XA-7S

Product description

Slim surface-mounted mailbox system BASIC Plus 385XA for 7 households – RAL colour of choice

The BASIC Plus 385XA surface-mounted mailbox system for 7 households is a robust wall solution for apartment buildings, residential complexes and commercially used properties. The vertically arranged S configuration reduces horizontal space requirements and utilises the available wall height particularly efficiently.

The BASIC Plus mailbox system is made entirely of V2A stainless steel and is powder-coated in the chosen RAL colour. The modular construction is designed for durability, easy installation and good spare-part availability.

Each mailbox measures 300 × 110 × 385 mm (W × H × D) and offers approximately 12 litres of volume. The 35 × 265 mm letter slot is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox includes two keys with key number and an interchangeable nameplate located beneath the letter flap.

The advantages of the BASIC Plus 385XA surface-mounted system at a glance

Weather canopy and side panels

The weather canopy and side panels unite the individual mailboxes into a closed surface-mounted system. The coordinated cladding provides a calm frontage and a neat finish at the façade.

DIN C4 letter slot and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) mailboxes each offer approx. 12 litres of volume. The 35 × 265 mm letter slot also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip cushions the letter flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear allocation of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies installation; fixings with screws and wall plugs are included in the described configuration.

BASIC Plus in RAL colour of choice

V2A stainless steel forms the robust basis; the powder coating can be executed in the desired RAL colour to match the façade, front door and window profiles. BASIC Plus also stands for consistent use of V2A, modular construction and directly available spare parts.

Equipment of the BASIC Plus 385XA mailbox system

Mailbox system

Number of mailboxes 7 separately lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material V2A stainless steel, powder-coated in RAL colour of choice
Surface Powder coating in RAL colour of choice
Standard DIN EN 13724

Mail and operation

Letter slot 35 × 265 mm, suitable for DIN C4 portrait
Letter flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the letter flap

Cladding and wall mounting

Side cladding Close-fitting design
Weather canopy Robust, system-matching design
Mounting type Surface-mounted wall installation
Installation aid Mounting rail
BASIC Plus Modular construction with directly available spare parts
Fixings Screws and wall plugs included; suitability for on-site wall construction must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall installation

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be level and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems (ETICS), appropriate fixing solutions must be determined on site.

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the letter flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

BASIC Plus construction

The BASIC Plus series consistently relies on V2A stainless steel and a modular, installation-friendly construction. Spare parts are directly available for BASIC Plus systems.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Number of boxes	with 7 letterboxes
Removal of mail	On the front
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	300.0
Total width in mm	308.0
Depth in mm	435.0
Weight in kg	40
Delivery condition	Delivered fully assembled

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618