5-unit 2x3 stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - RAL colour of your choice | Right | 150mm depth | ? Colour of your choice | with 5 mailboxes (3x2)



Product number 382XA-5-SP-150-R

Product description

5-unit 2×3 stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - RAL colour of your choice

High-quality surface-mounted mailbox for 5 households - Made in Germany by Briefkasten Manufaktur. The complete surface-mounted mailbox system is made of V2A stainless steel, powder-coated in a RAL colour. The very high-quality workmanship and the well thought-out concept make this mailbox system one of our bestsellers. A rain drainage edge for optimal water protection, a continuous rubber lip for quiet posting, the sturdy interchangeable nameplate, a practical mail-retention bar and the very robust lock are characteristic features of this surface-mounted mailbox system.

The side cladding with projecting rain hood made of V2A stainless steel offers optimal protection against the weather and guarantees very high durability. The high-quality doorbell panel with stainless steel bell buttons and anti-vandal nameplates can optionally be equipped with a speech aperture for flush-mounted speakers. The mailbox systems of the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy replacement-part assembly and straightforward self-installation.

Spare parts for all BASIC Plus systems are available directly. Thanks to the design, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation, so there is no need for complex wall mounting of individual boxes. 5-unit surface-mounted mailbox system with mailboxes made of V2A stainless steel, powder-coated in a RAL colour.

Key benefits at a glance

Stainless steel side cladding with rain hood

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Side cladding and rain hood are made of V2A stainless steel, powder-coated in a RAL colour of your choice and complement the system as a constructively coordinated weather protection.

Generous mail slot

The mail slot measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox version complies with DIN EN 13724.

Quiet posting and comfortable removal

The integrated flap damping with rubber seal reduces impact noise during posting. The door opens from left to right. The mail-retention bar holds items back during removal.

Integrated bell and intercom area

Bell box made of weather-resistant V2A stainless steel 1.4301, powder-coated in a RAL colour. The stainless steel bell button type 4 is used. Optionally prepared with a speech grille for the installation of standard intercom systems or flush-mounted speakers. (Intercom system/flush-mounted speakers not included). A version with the Comelit Ultra video complete set is also available as an option.

Quality manufacturing and considered design

The system is manufactured at Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 5 separately usable mail compartments
Arrangement 3 × 2
Depth 150 mm
Mailbox material V2A stainless steel
Mailbox finish Powder-coated in a RAL colour of your choice
Bell / intercom section Bell box made of weather-resistant V2A stainless steel 1.4301, powder-coated in a RAL colour

Mail and operation

Mail slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Mail flap Sound-dampened by rubber seal
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the mail flap
Mail-retention bar Integrated in each mailbox

Installation and equipment

Mounting type Surface-mounted
Rain drainage edge Integrated into the construction
Rain hood Made of V2A stainless steel, powder-coated in a RAL colour of your choice

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Side cladding Made of V2A stainless steel, powder-coated in a RAL colour of your choice
Mounting materials For wall mounting including mounting rail and fixing materials (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

The mail is best protected from moisture and dirt when fully inserted and with the mail flap closed. Oversized items can prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. Fixings must be matched to the weight of the unit and the existing wall construction.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	5 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 5 letterboxes
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	1065.0
Total width in mm	1065.0
Depth in mm	100.0 | 150.0
Weight in kg	24
Delivery condition	The system is delivered pre-assembled/partially disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618