21-unit (7x3) stainless steel surface-mounted letterbox system Design BASIC Plus 385XA AP - RAL colour of your choice | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | ? Colour of your choice | with 21 mailboxes



Product number 385XA-21W

Product description

Wide surface-mounted mailbox system BASIC Plus 385XA for 21 households – RAL colour of choice

The BASIC Plus 385XA surface-mounted mailbox system for 21 households is a robust wall-mounted solution for larger apartment buildings, residential complexes and commercial properties. The wider W version distributes the mailboxes across a multi-column front, keeping the overall system lower and more organised in proportion.

The BASIC Plus mailbox system is consistently made from V2A stainless steel and is powder-coated in the selected RAL colour. The modular construction is designed for durability, easy installation and good spare parts supply.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait orientation. The doors open from left to right; two keys with key number and a replaceable nameplate beneath the insertion flap are provided for each mailbox.

The advantages of the BASIC Plus 385XA surface-mounted system at a glance

Rain canopy and side panels

Rain canopy and side panels combine the individual mailboxes into a single surface-mounted unit. The coordinated cladding provides a calm front and a neat finish to the façade.

DIN C4 inlet and 12-litre capacity

The 300 × 110 × 385 mm (W × H × D) compartments each provide approx. 12 litres of volume. The 35 × 265 mm insertion aperture also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two numbered keys and protected replaceable nameplates ensure clear assignment of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade mounting. A mounting rail simplifies installation; fixing material with screws and wall plugs is included in the described configuration.

BASIC Plus in RAL colour of choice

V2A stainless steel provides the robust base; the powder coating can be matched to the façade, front door and window profiles in the desired RAL colour. BASIC Plus additionally stands for consistent V2A use, modular construction and readily available spare parts.

Equipment of the BASIC Plus 385XA mailbox system

Mailbox system

Number of mailboxes 21 separately lockable mailboxes
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material V2A stainless steel, powder-coated in RAL colour of choice
Surface Powder coating in RAL colour of choice
Standard DIN EN 13724

Mail and operation

Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate beneath the insertion flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Solid canopy matching the unit
Type of mounting Surface-mounted wall installation
Assembly aid Mounting rail
BASIC Plus Modular design with readily available spare parts
Fixing material Screws and wall plugs included; suitability for on-site wall mounting to be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, appropriate fixing solutions must be specified on site.

Note on weather protection

The mail is only optimally protected from moisture and soiling when items are fully inserted and the insertion flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

BASIC Plus construction

The BASIC Plus series consistently uses V2A stainless steel and a modular, installation-friendly construction. Spare parts for BASIC Plus units are readily available.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 21 letterboxes
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	900.0
Total width in mm	908.0
Depth in mm	435.0
Weight in kg	90
Delivery condition	Delivered partly disassembled.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618