# 16-unit 6x3 surface-mounted letterbox system Design BASIC 385A AP - stainless steel, RAL 7016 anthracite | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | BI-Color brushed stainless steel | RAL 7016 anthracite grey | with 16 mailboxes



**Product number** 385A-7016VA-16W

## Product description

## Wide surface-mounted mailbox system BASIC 385A for 16 units – BI-Color RAL 7016 / Stainless steel

The BASIC 385A surface-mounted mailbox system for 16 units is a robust wall-mounted solution for larger multi-family houses, residential complexes and commercial properties. The wider W-version distributes the letterboxes across a multi-column front and keeps the overall system lower and more organised in proportion.

The BI-Color version combines anthracite grey powder-coated mailbox bodies with brushed stainless steel V2A elements. The material contrast gives the BASIC system a high-quality, modern appearance.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm entry slot is designed to accept DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys bearing a key number and an interchangeable nameplate located beneath the entry flap.

## The advantages of the BASIC 385A surface-mounted system at a glance

### Canopy and side cladding

Canopy and side panels integrate the individual compartments into a closed surface-mounted system. The coordinated cladding provides a calm front and a neat finish at the facade.

### DIN C4 entry and 12-litre capacity

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of volume. The 35 × 265 mm entry slot also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

### Quiet insertion and secure allocation

The rubber lip damps the entry flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure unambiguous use of each compartment.

### Mounting rail for wall installation

The surface-mounted system is designed for direct facade mounting. A mounting rail facilitates installation; fixing materials with screws and wall plugs are included in the described version.

### BI-Color in anthracite and stainless steel

RAL 7016 anthracite grey fine-textured matt is combined with brushed stainless steel accents, creating a striking material contrast. The system is manufactured in Germany by the Briefkasten Manufaktur.

## Equipment of the BASIC 385A mailbox system

### Mailbox system

**Number of mailboxes** 16 separately lockable compartments
**Single compartment** 300 × 110 × 385 mm (W × H × D)
**Volume** Approx. 12 litres per mailbox
**Material** BI-Color: galvanised steel in RAL 7016 with stainless steel V2A accents
**Finish** RAL 7016 anthracite grey fine-textured matt / brushed stainless steel V2A
**Standard** DIN EN 13724

### Mail and operation

**Entry slot** 35 × 265 mm, suitable for DIN C4 portrait
**Entry flaps** With noise-damping rubber lip
**Mail removal** From the front
**Door opening** Left to right
**Keys** 2 keys with key number per mailbox
**Nameplate** Interchangeable nameplate beneath the entry flap

### Cladding and wall mounting

**Side cladding** Close-fitting design
**Canopy** Sturdy, matched to the system
**Mounting type** Surface-mounted wall installation
**Installation aid** Mounting rail
**Fixing materials** Screws and wall plugs included; suitability for the local wall construction must be checked on site
**Manufacture** Made in Germany by Briefkasten Manufaktur Lippe

#### Note on wall mounting

The wall must be level and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, appropriate fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

**Note on weather protection**

Mail is best protected from moisture and dirt only when items are fully inserted and the entry flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

## Product properties

| | |
|---|---|
| **Material** | Steel, galvanised, Stainless steel V2A 1.4301 |
| **Series** | BASIC |
| **Boxes by volume** | Normal > 10 litres |
| **Number of boxes** | with 16 letterboxes |
| **Name labelling** | Nameplate |
| **Surface/colour** | RAL 7016 anthracite grey, Brushed |
| **Removal of mail** | On the front |
| **Mounting type** | Surface-mounted |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions

| | |
|---|---|
| **Height of single box in mm** | 110.0 |
| **Width of single box in mm** | 300.0 |
| **Capacity in litres** | 12 |
| **Height of letterbox slot in mm** | 35.0 |
| **Width of letter slot in mm** | 265.0 |
| **Height of letterbox in mm** | 660.0 |
| **Width of letterbox system in mm** | 900.0 |
| **Total width in mm** | 465.0 |
| **Depth in mm** | 435.0 |
| **Weight in kg** | 95 |
| **Delivery condition** | Delivered partially disassembled. |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618