12-unit stainless-steel surface-mounted mailbox system Design BASIC Plus 385 XA 220 - RAL colour of your choice | with 12 letterboxes (3x4) | ? Colour of your choice | 300x220x385 mm (WxHxD) - ???? Large 25 litres



Product number 385XA220-12

Product description

Surface-mounted mailbox system BASIC Plus 385XA 220 for 12 households – 25 litres per compartment – RAL colour of your choice

The BASIC Plus 385XA surface-mounted mailbox system for 12 households is a robust wall solution for apartment buildings, residential complexes and commercial properties. The balanced arrangement groups all letter compartments into a clearly structured, visually cohesive wall unit.

The BASIC Plus mailbox system is consistently made from V2A stainless steel and is powder-coated in the selected RAL colour. The modular construction is designed for longevity, easy installation and reliable spare parts supply.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm letter slot is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the letter flap.

Advantages of the BASIC Plus 385XA 220 surface-mounted system at a glance

Rain canopy and side panels

The rain canopy and side panels combine the individual compartments into a cohesive surface-mounted unit. The coordinated cladding ensures a calm front and a neat finish to the façade.

25 litres mail volume per compartment

The 300 × 220 × 385 mm (W × H × D) compartments each offer approx. 25 litres of volume. The 35 × 265 mm letter slot also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet posting and secure allocation

The rubber lip damps the letter flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure the clear use of each compartment.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade mounting. A mounting rail facilitates installation; fixings with screws and wall plugs are included in the described specification.

BASIC Plus in RAL colour of your choice

V2A stainless steel forms the robust basis; the powder coating can be executed in the desired RAL colour to match the façade, front door and window profiles. BASIC Plus also stands for consistent V2A use, modular construction and readily available spare parts.

Specification of the BASIC Plus 385XA 220 mailbox system

Mailbox system

Number of mailboxes 12 individually lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per compartment
Material V2A stainless steel, powder-coated in RAL colour of your choice
Finish Powder coating in RAL colour of your choice
Standard DIN EN 13724

Mail and operation

Letter slot 35 × 265 mm, suitable for DIN C4 portrait
Letter flaps With noise-damping rubber lip
Mail removal From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the letter flap

Cladding and wall mounting

Side panels Close-fitting design
Rain canopy Solid canopy matched to the unit
Mounting type Surface-mounted wall installation
Installation aid Mounting rail
BASIC Plus Modular construction with directly available spare parts
Fixings Screws and wall plugs included; check suitability for on-site wall construction
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, appropriate fastening solutions must be determined on site.

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the letter flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

BASIC Plus construction

The BASIC Plus series consistently uses V2A stainless steel and a modular, installation-friendly construction. Spare parts for BASIC Plus units are directly available.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 12 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	900.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	61
Delivery condition	Delivered partially disassembled.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618