3-unit 2x2 stainless steel surface-mounted letterbox Design BASIC Plus 382XA AP with bell panel - RAL colour of your choice | Right | 150mm depth | ? Colour of your choice | with 3 mailboxes (2x2)



Product number 382XA-3-SP-150-R

Product description

3-unit 2x2 V2A stainless steel surface-mounted mailbox system Design BASIC Plus 382XA AP with doorbell box – RAL colour of your choice

High-quality surface-mounted mailbox for 3 households - made in Germany by Briefkasten Manufaktur. The complete surface-mounted mailbox system is made of V2A stainless steel, powder-coated in a RAL colour. The very high-quality workmanship and the well thought-out concept make this mailbox system one of our top sellers. A rain drainage edge for optimal protection against water, a continuous rubber lip for quiet insertion, the robust interchangeable nameplate, a practical mail retention bracket and the very sturdy lock characterise this surface-mounted mailbox system.

The side cladding with an overhanging weather hood made of V2A stainless steel offers optimal protection against the elements and guarantees very high durability. The high-quality bell panel with stainless steel doorbell buttons and anti-vandal nameplates can optionally be prepared with a speak-through grille for the installation of standard intercom systems or built-in loudspeakers. The mailbox systems of the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is very high longevity and sustainability. The construction has been developed by our own engineers with a focus on high flexibility/modularity, simple replacement part assembly and straightforward self-installation.

Spare parts are readily available for all BASIC Plus systems. Thanks to the design, self-installation is uncomplicated. The mailbox system is prepared for straightforward complete installation; there is no need for time-consuming wall mounting of individual boxes. 3-unit surface-mounted mailbox system with mailboxes made of V2A stainless steel, powder-coated in a RAL colour of your choice.

Advantages at a glance

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

V2A stainless steel side cladding with weather hood

Side cladding and weather hood are made of V2A stainless steel, powder-coated in a RAL colour of your choice and complement the system as a structurally matched weather protection.

Generous letter slot

The insertion opening measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox design complies with DIN EN 13724.

Quiet insertion and comfortable removal

The integrated flap damping with rubber seal reduces impact noise during insertion. The door opens from left to right. The mail retention bracket holds items back during removal.

Integrated doorbell and intercom area

Doorbell box made of weather-resistant V2A stainless steel 1.4301, powder-coated in a RAL colour. Stainless steel doorbell push-button type 4 is used. Optionally prepared with a speak-through grille for the installation of standard intercom systems or built-in loudspeakers. (Intercom system/built-in loudspeaker not included). An option with the Comelit Ultra video complete set is also available.

Quality manufacturing and thoughtful design

The system is manufactured at Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 3 separately usable mail compartments
Arrangement 2 × 2
Depth 150 mm
Mailbox material V2A stainless steel
Mailbox finish Powder-coated in a RAL colour of your choice
Doorbell/intercom section Doorbell box made of weather-resistant V2A stainless steel 1.4301, powder-coated in a RAL colour

Mail and operation

Letter slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Letter flap Sound-dampened by rubber seal
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the letter flap
Mail retention bracket Integrated for each mailbox

Installation and fittings

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Mounting type Surface-mounted
Rain drainage edge Integrated into the construction
Weather hood Made of V2A stainless steel, powder-coated in a RAL colour of your choice
Side cladding Made of V2A stainless steel, powder-coated in a RAL colour of your choice
Mounting hardware For wall mounting including mounting rail and fixings (screws + wall plugs)
Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail is best protected from moisture and soiling when fully inserted and the letter flap is closed. Protruding items may prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. Fixings must be matched to the weight of the unit and the existing wall construction.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	710.0
Total width in mm	710.0
Depth in mm	100.0 | 150.0
Weight in kg	24
Delivery condition	The system is delivered pre-assembled/partially disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618