2-unit 1x2 surface-mounted mailbox system BASIC - Edition NELLY - Bi-colour VA-RAL 7016 anthracite grey | with 2 letterboxes (1x2)

Product number 382A-7016VA-BS-2



Product description

2-unit surface-mounted mailbox system BASIC – Edition NELLY – 1 × 2 – BI-Color stainless steel / RAL 7016 anthracite grey

"Everything begins with longing." – Nelly Sachs

The Edition NELLY combines the proven BASIC mailbox technology with a noticeably more individual appearance. The mailbox body is made of galvanised steel and is powder-coated in RAL 7016 anthracite grey fine-textured matt, while the letter flaps are made of stainless steel V2A 1.4301 and finished with a 240-grit brushing. This deliberate BI-Color contrast appears modern and high-quality and can be combined with many front doors, windows and façades. As a surface-mounted design with 2 mailboxes (1 × 2), NELLY is not only intended for mail reception but serves as a neatly designed part of the entrance area. The flush-appearing side cladding with weather protection hood visually frames the unit and also provides the space for the characteristic NELLY labelling panel.

The key advantages of Edition NELLY

NELLY labelling panel – house number and street name

The distinctive NELLY detail is the applied labelling panel on the weather protection hood. It is created with your individual laser engraving and turns the mailbox system into a personal element of the entrance area – house number and street name are clearly integrated into the overall design.

BI-Color: RAL 7016 meets brushed stainless steel

The mailbox body of galvanised steel is powder-coated in RAL 7016 anthracite grey fine-textured matt. The letter flaps, by contrast, are made of stainless steel V2A 1.4301 and are finished with a 240-grit brushing. The weather protection hood and side cladding are also manufactured from stainless steel V2A and powder-coated.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Large aperture for DIN C4

The 35 × 325 mm insertion opening is designed for DIN C4 in landscape format. Larger letters can also be inserted without having to be folded. The mailbox design complies with DIN EN 13724.

Quiet operation for everyday use

The brushed stainless-steel letter flaps are fitted with a noise-dampening rubber seal. A mail retention bracket supports controlled removal, while the doors open from left to right.

Robust 1.5 mm stainless steel cladding

The weather protection hood and side cladding are made from 1.5 mm thick stainless steel V2A 1.4301 and are powder-coated. This gives the surface-mounted unit a neatly framed, robust construction and additionally protects the mailbox unit in daily use.

Equipment and technical features

Material and mailbox

Configuration 2 mailboxes (1 × 2)
Mailbox body Steel, galvanised; RAL 7016 anthracite grey fine-textured matt
Letter flaps Stainless steel V2A 1.4301, 240-grit brushed
Insertion opening 35 × 325 mm, DIN C4 landscape
Standard DIN EN 13724

NELLY design and operation

Labelling Individual laser engraving in BML Lasercut font
Nameplate Changeable nameplate under the letter flap
Mail retention bracket Integrated in each mailbox
Mail retrieval Front access
Door opening From left to right
Locking system Depending on the selected product configuration

Installation and construction

Installation type Surface-mounted wall installation
Cladding Weather protection hood + side cladding made from 1.5 mm stainless steel V2A 1.4301, powder-coated
Labelling panel Applied panel on the weather protection hood with individual laser engraving
Mounting Mounting rail including fixing hardware for wall installation
Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail items are best protected against moisture and soiling when fully inserted and with the insertion flap closed. Overhanging items may prevent the flap from closing completely.

Note on wall installation

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixing must suit the existing wall construction and the weight of the unit.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
House number	House number as laser engraving
Number of boxes	with 2 letterboxes
Removal of mail	On the front
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	777.0
Width of letterbox system in mm	369.0
Total width in mm	369.0
Depth in mm	100.0 + 24.0
Weight in kg	16
Delivery condition	Delivery is supplied pre-assembled/partly disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618