7-unit surface-mounted mailbox system Design BASIC 385A-9016 AP - RAL 9016 Traffic White | RAL 9016 Traffic White, fine-textured matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 7 mailboxes



Product number 385A-9016-7S

Product description

Slim surface-mounted mailbox system BASIC 385A for 7 households – RAL 9016 Traffic White

The BASIC 385A surface-mounted mailbox system for 7 households is a robust wall-mounted solution for apartment buildings, residential complexes and commercially used properties. The vertically arranged S-configuration reduces horizontal space requirements and uses the available wall height particularly efficiently.

The mailboxes are made from galvanised steel and powder-coated in RAL 9016 Traffic White with a matt fine-textured finish. The light surface provides a clear, understated design for modern entrance areas.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4-format items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate located beneath the mail flap.

The advantages of the BASIC 385A surface-mounted unit at a glance

Rain canopy and side cladding

The rain canopy and side panels combine the individual mailboxes into a single surface-mounted unit. The coordinated cladding provides a calm front and a neat termination at the façade.

DIN C4 mail slot and 12-litre volume

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of volume. The 35 × 265 mm mail slot also accepts larger DIN C4-format items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip cushions the mail flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade installation. A mounting rail facilitates installation; fixings including screws and wall plugs are included in the described configuration.

Light surface in RAL 9016

Traffic White in a matt fine-textured finish appears bright and straightforward while protecting the galvanised steel construction of the surface-mounted unit. The unit is manufactured in Germany by Briefkasten Manufaktur Lippe.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 7 separately lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Galvanised steel, powder-coated in RAL 9016 Traffic White fine-textured matt
Surface RAL 9016 Traffic White fine-textured matt
Standard DIN EN 13724

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Mail flap With noise-damping rubber lip
Mail retrieval From the front
Door opening Left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the mail flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Robust, matching design for the unit
Mounting type Surface-mounted wall installation
Assembly aid Mounting rail
Fixings Screws and wall plugs included; suitability for the on-site wall structure must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall structure; for other substrates or external thermal insulation composite systems (ETICS), appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and soiling only when items are fully inserted and the mail flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Number of boxes	with 7 letterboxes
Removal of mail	On the front
Mounting type	Surface-mounted
Surface/colour	RAL 9016 traffic white

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	300.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	40
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618