12-piece stainless steel flush-mounted letterbox system BASIC Plus 382XU UP with bell box on the side - RAL of your choice | Left | 100mm depth | ? Colour of your choice | with 12 mailboxes



Product number 382XU-12-SPS-100-L

Product description

12-unit stainless steel flush-mounted mailbox system BASIC Plus 382XU UP with side bell box - RAL colour of your choice

Modern flush-mounted mailbox for 12 households - made in Germany by Briefkasten Manufaktur.

The mailbox is made entirely of stainless steel V2A, powder-coated in a RAL colour. The very high-quality workmanship and the well thought-out concept make this flush-mounted mailbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet posting, a solid interchangeable nameplate, a practical mail retention bracket and a very robust lock characterise this flush-mounted mailbox. The flush-mounted frame made of stainless steel V2A is fitted with a foam rubber seal and guarantees very high longevity.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare-part installation and uncomplicated self-installation. Spare parts are directly available for all BASIC Plus systems.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- **12-compartment flush-mounted mailbox system made entirely of stainless steel V2A 1.4301, powder-coated in RAL colour**
- The system is manufactured at Briefkasten Manufaktur. German quality production "Made in Germany".
- The mailboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape; large letters also fit in without folding.
- Mail flap with noise-dampening rubber seal for very quiet posting of mail.
- The door opens from left to right.
- Incl. 2 keys with key number, interchangeable nameplate (type 2) under the mail flap and mail retention bracket.
- Large capacity with optional mailbox depth +50 mm = approx. 17 litres. Suitable for businesses and households with very high mail volumes.
- **Bell box made of stainless steel V2A 1.4301, powder-coated in RAL colour, fine-structure matt finish**
- Speaker cut-out with universal adapter. (Intercom system / flush-mounted speaker not included). Optionally also available without speaker cut-out.
- The universal adapter is suitable for all common flush-mounted speakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel doorbell push button Type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (pressure force limitation).
- Anti-vandalism - the nameplate is dent-resistant and impact-resistant; the plastic is flame-retardant.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.

Camera or intercom preparation

We always recommend that the electrical installation be carried out by a qualified electrician.

We offer preparation for cameras & intercom stations from various manufacturers for our mailboxes. The preparation does not include end devices; it comprises the provision of mounting brackets, drillings & cut-outs so that you can fit your device without any problems.

Water protection

To achieve optimal water protection for your mail, the mailbox or mailbox system should, if possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the mail flap is closed. Mail that is not fully inserted allows the ingress of moisture and dirt into the mailbox. Therefore it is necessary to plan suitably sized mailboxes for the expected demand. Under certain extreme weather conditions water may still enter (according to DIN EN 13724 up to 1 cm^3). This is not grounds for a complaint/claim.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	12 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Mounting type	Flush-mounted
Number of boxes	with 12 letterboxes

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	1040.0
Width of letterbox system in mm	1640.0
Total width in mm	1640.0
Depth in mm	100.0 | 150.0
Weight in kg	52
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618