3-compartment stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - stainless steel V2A | 100mm depth | with 3 mailboxes (1x3) | Centre | Stainless steel, brushed



Product number 382XA-VA-3-SP-100-M

Product description

3-unit stainless-steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - stainless steel V2A

High-quality surface-mounted mailbox for 3 occupants made in Germany by Briefkasten Manufaktur. The mailbox is made entirely of stainless steel V2A, brushed. The very high-quality workmanship and the well thought-out concept make this mailbox one of our top sellers. A rain drainage edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical post-retaining bar and the very robust lock characterise this surface-mounted mailbox.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with regard to high flexibility and modularity, easy spare-part assembly and uncomplicated self-installation. Spare parts for all BASIC Plus systems are available directly.

Thanks to the design, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for time-consuming wall mounting of individual boxes. 3-unit surface-mounted mailbox made of weather-resistant stainless steel V2A 1.4301, 240-grit brushed.

Benefits at a glance

Stainless-steel side cladding with rain canopy

Side cladding and rain canopy are made from stainless steel V2A 1.4301, 240-grit brushed and complement the unit as engineered weather protection.

Generous letter slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The insertion opening measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox complies with DIN EN 13724.

Quiet insertion and convenient removal

The integrated flap damping with rubber seal reduces impact noise during insertion. The post-retaining bar holds items back during removal.

Integrated doorbell and intercom area

Bell box made from stainless steel V2A 1.4301, 240-grit brushed. The stainless-steel doorbell push-button Type 4 is used. Optionally prepared with a speaking grille for the installation of standard modular intercom systems or flush-mounted speakers. (Modular intercom system / flush-mounted speaker not included). An option with Comelit Ultra video complete set is also available.

Quality manufacture and thoughtful engineering

The unit is manufactured at Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 3 separately usable compartments
Arrangement 1 × 3
Depth 100 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish 240-grit brushed
Doorbell / intercom section Bell box made from stainless steel V2A 1.4301, 240-grit brushed

Post and operation

Insertion opening 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Insertion flap Sound-dampened by rubber seal
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the insertion flap
Post-retaining bar Integrated per mailbox

Mounting and equipment

Mounting type Surface-mounted
Rain drainage edge Integrated into the construction
Rain canopy Made from stainless steel V2A 1.4301, 240-grit brushed
Side cladding Made from stainless steel V2A 1.4301, 240-grit brushed
Mounting materials For wall mounting incl. mounting rail and fixings (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. Fixings must be chosen to suit the weight of the unit and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	1090.0
Width of letterbox system in mm	355.0
Total width in mm	355.0
Depth in mm	100.0 | 150.0
Weight in kg	24

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618