4-unit stainless-steel surface-mounted mailbox system Design BASIC Plus 385 XA 220 - RAL colour of your choice | with 4 mailboxes (1x4) | ? Colour of your choice | 300x220x385 mm (WxHxD) - ???? Large 25 litres

Product number 385XA220-4



Product description

Surface-mounted mailbox system BASIC Plus 385XA 220 for 4 households – 25 litres per compartment – RAL colour of your choice

The BASIC Plus 385XA surface-mounted mailbox system for 4 households is a robust wall solution for apartment buildings, smaller residential complexes as well as office and medical practice properties. The balanced arrangement groups all mail compartments into a clearly structured and visually unified wall unit.

The BASIC Plus mailbox system is consistently made from stainless steel V2A and is powder-coated in the selected RAL colour. The modular construction is designed for durability, easy installation and good spare parts availability.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm letter slot is designed for DIN C4-format items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the letter flap.

The benefits of the BASIC Plus 385XA 220 surface-mounted system at a glance

Rain canopy and side cladding

The rain canopy and side panels unite the individual compartments into a closed surface-mounted system. The coordinated cladding provides a calm front and a neat finish at the façade.

25 litres mail volume per compartment

The 300 × 220 × 385 mm (W × H × D) compartments each provide approx. 25 litres of volume. The 35 × 265 mm letter slot also accepts larger DIN C4-format items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet letter insertion and secure allocation

The rubber lip damps the letter flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade mounting. A mounting rail simplifies installation; fixings with screws and wall plugs are included in the described configuration.

BASIC Plus in RAL colour of your choice

Stainless steel V2A forms the robust basis; the powder coating can be carried out in the desired RAL colour to match the façade, front door and window profiles. BASIC Plus additionally stands for consistent V2A use, modular construction and directly available spare parts.

Specification of the BASIC Plus 385XA 220 mailbox system

Mailbox system

Number of mailboxes 4 separately lockable compartments
Individual compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Stainless steel V2A, powder-coated in RAL colour of your choice
Finish Powder coating in RAL colour of your choice
Standard DIN EN 13724

Mail and operation

Letter slot 35 × 265 mm, suitable for DIN C4 in portrait orientation
Letter flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening Opens from left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the letter flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Solid, system-matching design
Type of installation Surface-mounted wall installation
Mounting aid Mounting rail
BASIC Plus Modular design with directly available spare parts
Fixings Screws and wall plugs included; check suitability for on-site wall construction
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall structure; for other substrates or external thermal insulation systems, appropriate fixing solutions must be specified on site.

Note on weather protection

Mail is best protected from moisture and dirt when items are fully inserted and the letter flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

BASIC Plus construction

The BASIC Plus series consistently relies on stainless steel V2A and a modular, installation-friendly construction. Spare parts are directly available for BASIC Plus systems.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of boxes	with 4 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	300.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	26
Delivery condition	Delivered partly disassembled


Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618