7-unit surface-mounted mailbox system Design BASIC 385A- VA AP - Stainless steel V2A, brushed | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | Stainless steel, brushed | with 7 mailboxes



Product number 385A-VA-7S

Product description

Slim surface-mounted mailbox system BASIC 385A for 7 households – stainless steel V2A brushed

The BASIC 385A surface-mounted mailbox system for 7 households is a robust wall solution for apartment buildings, residential complexes and commercially used properties. The vertically organised S configuration reduces horizontal space requirements and makes particularly efficient use of the available wall height.

The mailbox system is made from high-quality stainless steel V2A in a brushed finish. Mailboxes, cladding and rain canopy form a timeless, low-maintenance and durable stainless steel unit.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm delivery slot is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and a changeable nameplate located beneath the flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain canopy and side cladding

The rain canopy and side panels combine the individual compartments into a closed surface-mounted system. The coordinated cladding provides a calm front and a neat finish at the façade.

DIN C4 delivery slot and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) compartments each provide approx. 12 litres of volume. The 35 × 265 mm delivery slot accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the delivery flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear allocation of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail facilitates installation; fixings with screws and wall plugs are included in the described specification.

Entirely in brushed stainless steel

The V2A version combines a high-quality metal finish with a robust construction for long-lasting surface-mounted mailbox systems. The system is manufactured in Germany by Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 7 separately lockable compartments
Individual compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Stainless steel V2A 1.4301, brushed
Finish Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Delivery slot 35 × 265 mm, suitable for DIN C4 portrait
Delivery flaps With noise-damping rubber lip
Mail removal Front access
Door opening Left to right
Keys 2 keys with key number per mailbox
Nameplate Changeable nameplate beneath the delivery flap

Cladding and wall installation

Side cladding Close-fitting design
Rain canopy Solid, matching design
Mounting type Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; verify suitability for the onsite wall construction
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be flat and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or thermal insulation composite systems, appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected against moisture and soiling only when items are fully inserted and the delivery flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Number of boxes	with 7 letterboxes
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	300.0
Total width in mm	608.0
Depth in mm	435.0
Weight in kg	40
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618