10-unit stainless steel mailbox system Design BASIC Plus 385XW for side wall mounting - RAL colour of your choice | Right | with 10 mailboxes



Product number 385XW-10S-R

Product description

Side-mounted BASIC Plus 385XW mailbox system for 10 households – box position right

The BASIC Plus 385XW is a high-quality stainless steel mailbox system for side wall mounting for 10 households. It was developed for apartment buildings and larger properties with ten separate households and enables space-saving installation to the side of the entrance or on a suitable wall surface.

The 1×10 configuration combines ten separate mailboxes into a very narrow multi-occupancy unit for side wall mounting.

The mailboxes are made of stainless steel V2A 1.4301 and are powder-coated in a RAL or DB colour of your choice. The rain hood and side cladding are also made of stainless steel. The lateral fixing is via 60.3 mm stainless steel posts with a 240-grit brushed finish.

In this product variant the box position is on the right. The lateral arrangement creates a clear mounting edge and allows the mailbox system to be aligned to suit the structural situation at the entrance.

The advantages of the BASIC Plus 385XW at a glance

Solid stainless steel mounting posts

The lateral wall fixing is via Ø 60.3 mm posts made of stainless steel V2A 1.4301 with a 240-grit brushed finish. They provide a stable and long-lasting connection between the mailbox system and the building wall.

Side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The 385XW is mounted to a suitable house wall on the side. The box position of this variant is on the right; this allows the unit to be specifically adapted to the existing entrance situation.

BASIC Plus in stainless steel V2A

Mailboxes, cladding and fixing elements consistently use stainless steel V2A 1.4301. The powder-coated mailboxes combine a high-quality surface with a durable construction.

DIN C4 letter slot with rubber lip

Each compartment has a 35 × 265 mm letter slot suitable for DIN C4 in portrait orientation. A noise-damping rubber lip reduces the impact noise of the letter flap.

Robust solution for 10 households

Ten DIN-EN-13724-compliant mailboxes are combined into a narrow, robust BASIC Plus multi-occupancy system. The modular BASIC Plus construction also facilitates maintenance and spare part replacement.

Equipment of the BASIC Plus 385XW for 10 households

Mailbox system

Number of compartments 10 mailboxes
Configuration 1 column × 10 rows
Material Stainless steel V2A 1.4301
Surface Powder-coated in RAL/DB colour of choice
Rain hood / side cladding Stainless steel V2A 1.4301, powder-coated to match
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Letter slot 35 × 265 mm per mailbox, suitable for DIN C4 portrait
Mail volume Approx. 12 litres per mailbox
Letter flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 20 keys in total, 2 per mailbox
Nameplates 10 interchangeable nameplates beneath the letter flaps

Lateral fixing

Box position Right
Mounting posts Ø 60.3 mm stainless steel V2A 1.4301
Post surface 240-grit brushed finish
Mounting method Screw mounting to a suitable house wall
Fasteners Select anchor bolts or threaded rods on site appropriate to the wall
Standard Mailboxes in accordance with DIN EN 13724

Note on side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be clean, even and sufficiently load-bearing for the weight of the complete mailbox system. Anchor bolts or threaded rods are not included and must be selected to suit the wall construction, system weight and local installation conditions.

Note on weather protection

Mail items must be fully inserted so that the letter flaps can close. The front of the letter slots should ideally not be directly exposed to the prevailing weather side. Under extreme weather conditions, moisture can penetrate despite compliant construction.

Maintenance and BASIC Plus construction

Stainless steel V2A is low-maintenance and durable. The modular BASIC Plus construction is designed for straightforward installation and good spare parts availability.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 10 letterboxes
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height in mm	1260
Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	1100.0
Width of letterbox system in mm	300.0
Total width in mm	400.0
Depth in mm	435.0
Weight in kg	55
Delivery condition	Delivery is in blocks; freestanding units / mailbox delivered in parts.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618