3-unit surface-mounted mailbox BASIC Plus 382X AP with side doorbell housing - RAL colour of your choice | Left | 150mm depth | ? Colour of your choice | with 3 mailboxes (3x1)



Product number 382XA-3W-SP-RAL-150-L

Product description

3-unit surface-mounted mailbox BASIC Plus 382X AP with side bell box - RAL colour of your choice

German quality manufacture "Made in Germany" by Briefkasten Manufaktur. The complete surface-mounted mailbox is made of weather-resistant stainless steel V2A, powder-coated in a RAL colour. A drip edge for optimal water protection, a double-folded letter flap with rubber buffer, the sturdy interchangeable nameplate, a practical mail retention bracket and the very robust lock characterise this stainless steel mailbox.

The mailbox systems of the BASIC Plus collection are distinguished by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy replacement-part installation and straightforward self-installation. Spare parts are readily available for all BASIC Plus systems.

Thanks to the design, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for time-consuming wall mounting of individual boxes. 3-unit surface-mounted mailbox made of high-quality, weather-resistant stainless steel V2A 1.4301, powder-coated in a RAL colour of your choice.

Benefits at a glance

Close-fitting stainless steel cladding with rain canopy

Side cladding and rain canopy are included in this version and are made of stainless steel V2A, powder-coated in a RAL colour. The close-fitting design forms a closed, constructively coordinated unit with the mailbox system.

Generous letter slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The slot measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox design complies with DIN EN 13724.

Quiet insertion and convenient retrieval

The integrated flap damping with rubber buffer reduces impact noise during insertion. The mail retention bracket holds items back during retrieval.

Integrated doorbell and intercom area

Bell box made of stainless steel V2A 1.4301, powder-coated in a RAL colour. The stainless steel doorbell push button Type 4 is used. Optionally prepared with a speech grille for the installation of commercially available intercom systems or flush-fit loudspeakers. (Intercom system/flush-fit loudspeaker not included). An option with the Comelit Ultra video complete set is also available.

Quality manufacture and well thought-out construction

The unit is manufactured at the Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 3 separately usable mail compartments
Arrangement 3 × 1
Depth 150 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish Powder-coated in a RAL colour of your choice
Doorbell/intercom section Bell box made of stainless steel V2A 1.4301, powder-coated in a RAL colour

Post and operation

Letter slot 35 × 325 mm, suitable for DIN C4 (landscape)
Standard DIN EN 13724
Letter flap Sound-dampened by rubber buffer
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the letter flap
Mail retention bracket Integrated for each mailbox

Installation and accessories

Installation type Surface-mounted
Drip edge Integrated into the construction
Rain canopy Made of stainless steel V2A, powder-coated in a RAL colour of your choice
Side cladding Made of stainless steel V2A, powder-coated in a RAL colour of your choice
Mounting material For wall mounting incl. mounting rail and fixing material (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Mail items are best protected from moisture and dirt when fully inserted and with the letter flap closed. Oversized items may prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixing must be matched to the weight of the unit and the existing wall construction.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Dimensions


Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	1235.0
Total width in mm	1235.0
Depth in mm	100.0 | 150.0
Weight in kg	12

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618