Stainless steel surface-mounted mailbox BASIC Plus 382X AP with side-mounted doorbell box | Left | 100mm depth | with 1 mailbox | Stainless steel, brushed

Product number 382XA-1W-SP-100-L



Product description

Stainless steel surface-mounted mailbox BASIC Plus 382X AP with side-mounted bell box

German quality manufacturing "Made in Germany" by Briefkasten Manufaktur. The complete surface-mounted mailbox is made of weather-resistant stainless steel V2A, brushed. A rain run-off edge for optimal water protection, a double-folded insertion flap with rubber buffer, the solid interchangeable nameplate, a practical mail retention bracket and the very robust lock characterise this stainless steel mailbox.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high longevity and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple replacement-part installation and straightforward self-assembly.

Spare parts are directly available for all BASIC Plus units. Surface-mounted mailbox made of high-quality, weather-resistant stainless steel V2 A 1.4301, brushed.

The benefits at a glance

Close-fitting stainless steel cladding with rain canopy

Side cladding and a rain canopy are included in this version and are made of stainless steel V2A, brushed. The close-fitting design forms a closed, structurally matched unit with the mailbox system.

Generous letter slot

The insertion opening measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox version complies with DIN EN 13724.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and comfortable retrieval

The integrated flap damping with rubber buffer reduces impact noise during insertion. The mail retention bracket holds items back during removal.

Integrated bell and intercom section

Bell box made of stainless steel V2A 1.4301, brushed. The stainless steel doorbell push-button Type 4 is used. Optionally prepared with a speech grille for the installation of standard intercom systems or built-in loudspeakers. (Intercom system/built-in loudspeakers not included). An option with the Comelit Ultra video complete set is also available.

Quality manufacturing and thoughtful design

The unit is manufactured by Briefkasten Manufaktur in Germany. The design is intended for straightforward self-assembly.

Equipment and product details

Mailbox unit

Number of mailboxes 1 separately usable mail compartment
Depth 100 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox surface Brushed
Bell/intercom section Bell box made of stainless steel V2A 1.4301, brushed

Mail and operation

Insertion opening 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Insertion flap Sound-dampened by rubber buffer
Mail retrieval Front access
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the insertion flap
Mail retention bracket Integrated in each mailbox

Mounting and equipment

Mounting type Surface-mounted
Rain run-off edge Integrated into the construction
Rain canopy Made of stainless steel V2A, brushed
Side cladding Made of stainless steel V2A, brushed
Mounting material For wall mounting incl. fixings
Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail items are optimally protected from moisture and dirt when fully inserted and the insertion flap is closed. Protruding items may prevent the flap from fully closing.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixings must be appropriate for the weight of the unit and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Surface/colour	Brushed
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	525.0
Total width in mm	525.0
Depth in mm	100.0 | 150.0
Weight in kg	12

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618