6-unit stainless steel surface-mounted mailbox BASIC Plus 382X AP with side-mounted bell box | Left | 150mm depth | with 6 letterboxes (3x2) | Stainless steel, brushed

Product number 382XA-VA-6W-SSP-150-L



Product description

6-unit stainless steel surface-mounted mailbox BASIC Plus 382X AP with side-mounted bell box

German quality manufacturing "Made in Germany" by Briefkasten Manufaktur. The complete 3-unit surface-mounted mailbox is made of weather-resistant stainless steel V2A, brushed finish. A drip edge for optimal water protection, a double-folded mail flap with rubber buffer, the sturdy interchangeable nameplate, a practical mail retention bar and the very robust lock characterise this stainless steel mailbox.

The mailbox systems of the BASIC Plus collection stand out due to the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, simple spare-part installation and uncomplicated self-assembly. Spare parts are available directly for all BASIC Plus systems.

Thanks to the design, self-assembly is straightforward. The mailbox system is prepared for uncomplicated complete installation; no time-consuming wall mounting of individual boxes is required. 6-unit surface-mounted mailbox made of high-quality, weather-resistant stainless steel V2A 1.4301, brushed finish.

The advantages at a glance

Close-fitting stainless-steel cladding with rain canopy

Side cladding and rain canopy are included in this version and are made of stainless steel V2A, brushed finish. The close-fitting design forms a closed, constructively matched unit with the mailbox system.

Generous mail slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The mail slot measures 35 × 325 mm and is designed for landscape DIN C4. The mailbox version conforms to DIN EN 13724.

Quiet insertion and comfortable retrieval

The integrated flap damping with rubber buffer reduces impact noise during insertion. The mail retention bar holds items back during retrieval.

Integrated bell and intercom area

Bell box made of stainless steel V2A 1.4301, brushed finish. A stainless-steel bell push button Type 4 is used. Optionally prepared with a speech grille for the installation of standard intercom systems or flush-mounted speakers. (Intercom system/flush-mounted speaker not included). An option with the Comelit Ultra video complete set is also available.

Quality manufacturing and well-thought-out design

The unit is manufactured at the Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-assembly.

Equipment and product details

Mailbox system

Number of mailboxes 6 individually usable mail compartments
Arrangement 3 × 2
Depth 150 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish Brushed finish
Bell/intercom unit Bell box made of stainless steel V2A 1.4301, brushed finish

Mail and operation

Mail slot 35 × 325 mm, suitable for landscape DIN C4
Standard DIN EN 13724
Mail flap Noise-damped with rubber buffer
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the mail flap
Mail retention bar Integrated in each mailbox

Installation and features

Mounting type Surface-mounted
Drip edge Integrated into the construction
Rain canopy Made of stainless steel V2A, brushed finish
Side cladding Made of stainless steel V2A, brushed finish
Mounting materials For wall mounting incl. mounting rail and fastening material (screws + wall plugs)
Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Mail items are best protected from moisture and soiling when fully inserted and with the mail flap closed. Oversized items may prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. Fixings must be matched to the weight of the unit and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	6 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Number of boxes	with 6 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	1235.0
Total width in mm	1235.0
Depth in mm	100.0 | 150.0
Weight in kg	24

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618