6-unit 3x2 stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - stainless steel V2A | 150mm depth | with 6 letterboxes (3x2) | Top | Stainless steel, brushed



Product number 382XA-VA-6W-SP-150-O

Product description

6-unit 3x2 stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - stainless steel V2A

High-quality surface-mounted mailbox for 4 households made in Germany by Briefkasten Manufaktur. The mailbox is made entirely of stainless steel V2A, brushed. The very high-quality workmanship and the well thought-out concept make this mailbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet posting, the solid interchangeable nameplate, a practical mail retention bar and the very robust lock characterise this surface-mounted mailbox.

The mailbox systems of the BASIC Plus collection are distinguished by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare part fitting and uncomplicated self-installation. Spare parts are available directly for all BASIC Plus systems.

Thanks to the design, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete mounting; there is no need for complex wall mounting of individual boxes. 4-unit surface-mounted mailbox made of weather-resistant stainless steel V2A 1.4301, 240-grit brushed.

Benefits at a glance

Stainless steel side cladding with weather hood

Side cladding and weather hood are made of stainless steel V2A 1.4301, 240-grit brushed, and complement the system as a constructively coordinated weather protection.

Generous letter insertion

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The insertion slot measures 35 × 325 mm and is designed for DIN C4 landscape format. The mailbox version complies with DIN EN 13724.

Quiet posting and comfortable retrieval

The integrated flap damping with rubber seal reduces impact noise during posting. The mail retention bar holds items back during retrieval.

Integrated bell and intercom area

Bell/intercom section according to the chosen configuration. A stainless steel bell push Type 4 is used as the bell button. Optionally prepared with a speech grille for the installation of commercially available modular intercom systems or flush-fit loudspeakers. (Modular intercom system/flush-fit loudspeakers not included). An option with Comelit Ultra video complete set is also available.

Quality manufacturing and thoughtful construction

The system is manufactured at the Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 6 individually usable compartments
Arrangement 3 × 2
Depth 150 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox surface 240-grit brushed
Bell/intercom section Bell/intercom section integrated

Mail and operation

Insertion slot 35 × 325 mm, suitable for DIN C4 landscape format
Standard DIN EN 13724
Insertion flap Noise-damped by rubber seal
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the insertion flap
Mail retention bar Integrated in each mailbox

Mounting and equipment

Mounting type Surface-mounted
Rain drip edge Integrated into the construction
Weather hood Made of stainless steel V2A 1.4301, 240-grit brushed
Side cladding Made of stainless steel V2A 1.4301, 240-grit brushed
Mounting materials For wall mounting incl. mounting rail and fixings (screws + plugs)
Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Mail is best protected from moisture and dirt when fully inserted and the insertion flap is closed. Protruding items may prevent the flap from fully closing.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixings must be matched to the weight of the unit and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	6 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Number of boxes	with 6 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	760.0
Width of letterbox system in mm	1065.0
Total width in mm	1065.0
Depth in mm	100.0 | 150.0
Weight in kg	34

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618