3-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with doorbell housing – RAL colour of your choice | 100mm depth | ? Colour of your choice | with 3 mailboxes (1x3) | Top



Product number 382XA-3S-SP-100-O

Product description

3-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - RAL colour of your choice

High-quality surface-mounted mailbox for 3 households made in Germany by Briefkasten Manufaktur. The mailbox is made entirely of stainless steel V2A, powder-coated in a RAL colour. The very high-quality workmanship and the well-thought-out concept make this mailbox one of our top sellers. A drip edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical mail retention bracket and the very sturdy lock characterise this surface-mounted mailbox.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, easy spare-part installation and straightforward self-installation. Spare parts are directly available for all BASIC Plus systems.

Thanks to the design, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for elaborate wall mounting of individual boxes. 3-unit surface-mounted mailbox made of stainless steel V2A, powder-coated in a RAL colour.

Benefits at a glance

Stainless steel side cladding with rain canopy

The side cladding and rain canopy are made of stainless steel V2A, powder-coated in a RAL colour of your choice and complement the system as integrated weather protection.

Generous letter slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The slot measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox configuration complies with DIN EN 13724.

Quiet insertion and convenient retrieval

The integrated flap damping with rubber seal reduces impact noise during insertion. The mail retention bracket holds items back during retrieval.

Integrated bell and intercom area

Bell/intercom section made of stainless steel V2A, powder-coated in a RAL colour. A stainless steel bell push Type 4 is used. Optionally prepared with a speech grille for the installation of standard intercom systems or built-in speakers. (Intercom system/built-in speaker not included). An option with the Comelit Ultra video complete set is also available.

Quality manufacturing and well-thought-out design

The system is manufactured by Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 3 separately usable mail compartments
Arrangement 1 × 3
Depth 100 mm
Mailbox material Stainless steel V2A
Mailbox finish Powder-coated in a RAL colour of your choice
Bell/intercom section Bell/intercom section made of stainless steel V2A, powder-coated in a RAL colour

Mail and operation

Letter slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Letter flap Sound-dampened by rubber seal
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the letter flap
Mail retention bracket Integrated per mailbox

Mounting and equipment

Mounting type Surface-mounted
Drip edge Integrated into the construction
Rain canopy Made of stainless steel V2A, powder-coated in a RAL colour of your choice
Side cladding Made of stainless steel V2A, powder-coated in a RAL colour of your choice
Mounting material For wall mounting including mounting rail and fixing material (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Mail items are optimally protected against moisture and contamination when fully inserted and with the letter flap closed. Oversized items may prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixing must be matched to the weight of the system and the existing wall construction.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Dimensions


Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	1090.0
Width of letterbox system in mm	355.0
Total width in mm	355.0
Depth in mm	100.0 | 150.0
Weight in kg	24
Delivery condition	The system is delivered pre-assembled/partially disassembled.

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618