Freestanding parcel locker system GOETHE with 2 parcel boxes and 1 letterbox - interlock system - RAL colour of your choice



Product number 215-STL-PK600800TG-PK400SL-1BK

Product description

Freestanding parcel compartment system GOETHE with 2 parcel boxes and 1 mailbox – RAL colour of your choice

The freestanding parcel compartment system GOETHE combines a large-format mailbox with two separate parcel boxes for the secure receipt of mail and parcels. Manufactured from stainless steel and aluminium and powder-coated in a RAL colour of your choice, the unit is suitable for private houses, multi-family dwellings, offices and representative entrance areas. The mailbox, measuring 600 x 400 mm (W x H), is made of stainless steel 1.4016, a non-rusting magnetic stainless steel. Letter insertion and collection are comfortably carried out from the front. The soft-closing insertion flap closes particularly quietly; the access door opens from top to bottom and prevents mail from falling out towards you.

The mailbox complies with DIN EN 13724. The generous insertion size of 35 x 560 mm is designed for C3 landscape format, so large envelopes, magazines and bulky mail items can be inserted without bending. Two keyed-alike push-key locks with a total of 10 keys ensure easy operation. For parcel receipt, the GOETHE system features two differently designed parcel boxes: The parcel box with transfer compartment is designed for multiple deposits. After placing the parcel, it falls into the secured collection area while the transfer compartment remains usable for further deliveries. This box measures 400 x 1200 mm (W x H), provides 192 litres of volume and accepts parcels up to 355 x 375 x 305 mm (W x H x D).

The second parcel box with T-handle is intended for single deposit. It measures 600 x 800 mm (W x H), also offers 192 litres of volume and is suitable for larger parcels up to 555 x 775 x 380 mm (W x H x D). Both parcel boxes are made of stainless steel 1.4016, are powder-coated in a RAL colour of your choice and feature high-quality stainless steel laser labelling. Drip edges and a rain canopy made of 3 mm aluminium AlMg3 W19 provide reliable weather protection. The side cladding is also made of 3 mm aluminium AlMg3 W19; the rear panel is 1 mm stainless steel 1.4301 V2A.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The sturdy base made of 40 x 40 x 2 mm stainless steel tube 1.4301 V2A allows for hidden fixing within the column. With an overall height of 1.24 m, the GOETHE parcel compartment system offers a comfortable operating height and a clear, high-quality appearance. Quality manufacture “Made in Germany” by Briefkasten Manufaktur Lippe, durable materials and the individual powder coating make this freestanding parcel-mailbox system a functional solution for courier-independent parcel receipt.

Protected utility model according to DPMA file reference DE: 20 2021 101 679.5

- High-quality parcel-mailbox made of stainless steel and aluminium, powder-coated in the RAL colour of your choice.
- Quality manufacture – Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (W x H 600 x 400 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in a RAL colour of your choice.
- 2 innovative push-key locks, keyed alike, with 10 keys.
- Letter insertion and collection are performed from the front. Insertion flap with high-quality hinge dampers for very quiet insertion of mail.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 56.0 cm) for C3 landscape format; large letters fit in without bending.
- Access door opens from top to bottom. This prevents mail from falling out towards you.
- Parcel box with transfer compartment for multiple deposits (W x H 400 x 1200 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in a RAL colour of your choice with stainless steel laser labelling.
- Parcel compartment volume: 192 litres, max. parcel dimension: 355 x 375 x 305 mm (W x H x D), corresponding to Packset M.
- Parcel insertion flap with damping for quiet closing.
- Parcel box with T-handle for single deposit (W x H 600 x 800 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in a RAL colour of your choice with stainless steel laser labelling.
- Parcel compartment volume: 192 litres, max. parcel dimension: 555 x 775 x 380 mm (W x H x D), corresponding to Packset L and larger.
- Optimal weather protection through drip edges and a rain canopy made of 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Rear panel made of 1 mm stainless steel 1.4301 V2A, powder-coated in the RAL colour of your choice.
- Base made of 40 x 40 x 2 mm stainless steel tube 1.4301 V2A, powder-coated in the RAL colour of your choice.
- Hidden fixing within the column. The overall height is 1.24 m.

Important information

Water protection

To achieve optimal water protection for your mail, the mailbox or mailbox system should, if possible, be located under a canopy.

Mail items are only protected from water when they are fully placed inside the box and the insertion flap is closed. Mail not fully pushed in allows moisture and dirt to enter the mailbox. This unit is protected against water ingress in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Parcel compartment
Number of boxes	with 2 parcel boxes, with 1 letterbox
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Boxes by volume	Jumbo > 30 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 400,0 | PK 800,0 | PK 1200,0
Width of single box in mm	600.0 | 400.0
Capacity in litres	BK 96,0 | PK 192,0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	560.0
Overall height in mm	1242.0
Total width in mm	1012.0
Depth in mm	400.0 + 36.0 Rain canopy
Weight in kg	99
Delivery condition	Delivered assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618