3-compartment stainless-steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - stainless steel V2A | 150mm depth | with 3 mailboxes (1x3) | Top | Stainless steel, brushed



Product number 382XA-VA-3-SP-150-O

Product description

3-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with doorbell box - stainless steel V2A

High-quality surface-mounted mailbox for 3 households made in Germany by Briefkasten Manufaktur. The mailbox is made entirely of stainless steel V2A, brushed. The very high-quality workmanship and the well-thought-out concept make this mailbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet posting, the solid interchangeable nameplate, a practical mail retention bracket and the very robust lock characterise this surface-mounted mailbox.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, easy spare-part replacement and straightforward self-installation. Spare parts are directly available for all BASIC Plus systems.

Thanks to the design, self-installation is straightforward. The mailbox unit is prepared for uncomplicated complete installation; there is no need for complex wall mounting of individual boxes. 3-unit surface-mounted mailbox made of weather-resistant stainless steel V2A 1.4301, 240-grit brushed finish.

Benefits at a glance

Stainless steel side cladding with rain hood

Side cladding and rain hood are made of stainless steel V2A 1.4301, 240-grit brushed finish and complement the unit as a constructively matched weather protection.

Generous letter slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The insertion opening measures 35 × 325 mm and is designed for landscape DIN C4. The mailbox version complies with DIN EN 13724.

Quiet posting and comfortable removal

The integrated flap damping with rubber seal reduces impact noise during posting. The mail retention bracket holds items back during removal.

Integrated doorbell and intercom area

Doorbell box made of stainless steel V2A 1.4301, 240-grit brushed finish. A stainless steel doorbell push-button Type 4 is used. Prepared optionally with a speaker grille for the installation of standard intercom systems or flush-mounted speakers. (Intercom systems/flush-mounted speakers not included). An option with a Comelit Ultra complete video set is also available.

Quality manufacturing and well-considered construction

The unit is manufactured by Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-installation.

Equipment and product details

Mailbox unit

Number of mailboxes 3 separately usable compartments
Configuration 1 × 3
Depth 150 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox surface 240-grit brushed finish
Bell/intercom unit Doorbell box made of stainless steel V2A 1.4301, 240-grit brushed finish

Mail and operation

Insertion opening 35 × 325 mm, suitable for landscape DIN C4
Standard DIN EN 13724
Flap Noise-dampened by rubber seal
Keys 2 keys with key number for each mailbox
Nameplate Interchangeable nameplate below the flap
Mail retention bracket Integrated in each mailbox

Mounting and equipment

Mounting type Surface-mounted
Rain drip edge Integrated into the construction
Rain hood Made of stainless steel V2A 1.4301, 240-grit brushed finish
Side cladding Made of stainless steel V2A 1.4301, 240-grit brushed finish
Mounting material For wall mounting incl. mounting rail and fastening materials (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixings must be matched to the weight of the unit and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	1090.0
Width of letterbox system in mm	355.0
Total width in mm	355.0
Depth in mm	100.0 | 150.0
Weight in kg	24

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618