5-unit stainless-steel surface-mounted mailbox Design BASIC Plus 382XA AP with doorbell box - stainless steel V2A | Right | 100mm depth | with 5 mailboxes (3x2) | Stainless steel, brushed



Product number 382XA-VA-5-SP-100-R

Product description

5-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - stainless steel V2A

High-quality surface-mounted mailbox for 5 households made in Germany by Briefkasten Manufaktur. The complete surface-mounted mailbox system is made of stainless steel V2A, brushed. The very high-quality workmanship and the well thought-out concept make this mailbox system one of our top sellers. A rain drainage lip for optimal water protection, a continuous rubber lip for quiet insertion, a solid interchangeable nameplate, a practical mail retention bracket and a very robust lock characterise this surface-mounted mailbox system.

Thanks to the design, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for complex wall mounting of individual boxes. 5-unit surface-mounted mailbox system entirely in stainless steel V2A 1.4301, brushed.

The advantages at a glance

Stainless-steel side panels with rain hood

Side panels and rain hood are made of brushed stainless steel V2A and complete the unit as a structurally coordinated weather protection.

Generous mail slot

The mail slot measures 35 × 325 mm and is designed for DIN C4 (landscape). The mailbox design complies with DIN EN 13724.

Quiet insertion and convenient retrieval

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The integrated flap damper with rubber seal reduces impact noise during insertion. The door opens from left to right. The mail retention bracket holds items back during retrieval.

Integrated bell and intercom section

Bell/intercom section according to the selected configuration. A stainless-steel doorbell button Type 4 is used. Optionally prepared with a speech grille for the installation of standard intercom systems or built-in speakers. (Intercom system/built-in speaker not included). An option with the Comelit Ultra video complete set is also available.

High-quality manufacture and thoughtful design

The unit is manufactured by Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 5 individually usable mail compartments
Arrangement 3 × 2
Depth 100 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish Brushed
Bell/intercom section Bell/intercom section or bell box integrated

Mail and operation

Mail slot 35 × 325 mm, suitable for DIN C4 (landscape)
Standard DIN EN 13724
Insertion flap Noise-dampened by rubber seal
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the insertion flap
Mail retention bracket Integrated per mailbox

Mounting and equipment

Mounting type Surface-mounted
Rain drainage lip Integrated into the construction
Rain hood Made of stainless steel V2A, brushed
Side cladding Made of stainless steel V2A, brushed
Mounting materials For wall mounting, including mounting rail and fixing materials (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail items are optimally protected from moisture and dirt when fully inserted and with the insertion flap closed. Protruding items may prevent the flap from fully closing.

Note on wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Before installation, check the load-bearing capacity and condition of the wall. The fixings must be matched to the weight of the unit and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	5 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 5 letterboxes
Surface/colour	Brushed
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	1065.0
Total width in mm	1065.0
Depth in mm	100.0 | 150.0
Weight in kg	21
Delivery condition	Delivered pre-assembled/partially disassembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618