6-unit flush-mounted mailbox system BASIC 382U UP with side-mounted bell box - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | Left | 100mm depth | with 6 letterboxes



Product number 382U-7016-6-SPS-L-100

Product description

6-unit flush-mounted letterbox system BASIC 382U UP with side doorbell panel - RAL 7016 anthracite grey - for 6 households

Modern flush-mounted letterbox for 6 households - made in Germany by Briefkasten Manufaktur.

The letterbox is made of galvanised steel, powder-coated in anthracite grey RAL 7016. The very high-quality workmanship and the well thought-out concept make this flush-mounted letterbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid replaceable nameplate, a practical mail retention bracket and the very robust lock characterise this flush-mounted letterbox. The flush-mounted frame made of V2A stainless steel is fitted with a foam rubber gasket and guarantees a very long service life.

Thanks to the design, self-installation is straightforward.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- **6-unit flush-mounted letterbox system made of galvanised steel, powder-coated in RAL 7016 anthracite grey**
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion opening (3.5 cm x 32.5 cm) for C4 landscape — large letters also fit in without folding.
- Insertion flap with noise-damping rubber seal for very quiet posting of mail.
- The door opens from left to right.
- Includes 2 keys with key number, replaceable nameplate (Type 2) under the insertion flap and mail retention bracket.
- Large capacity with optional mailbox depth +50 mm = approx. 17 l. Suitable for businesses and households with very high mail volume.
- **Intercom/bell unit made of galvanised steel, powder-coated in RAL 7016 anthracite grey**
- Speaker aperture with universal adapter. (Intercom system/flush-mounted loudspeaker not included). Optionally also available without speaker aperture.
- The universal adapter is suitable for all common flush-mounted loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit etc.).
- 6 x round stainless-steel doorbell buttons.
- Plaster cover frame made of stainless-steel angle profile 25 x 58 mm, powder-coated in RAL 7016 anthracite grey.

Important information

Camera or intercom station preparation

The intercom systems must be connected by a qualified electrician. For planning, installation and fitting, contact the electrician of your choice.

Water protection

Mail is only protected against moisture and dirt when fully inserted and with the flap closed. Under certain extreme weather conditions, water may still enter (according to DIN EN 13724 up to 1ccm). This is not grounds for a complaint.

Product properties

Material	Steel, galvanised
Series	BASIC
Number of bell push buttons	6 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Number of boxes	with 6 letterboxes
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	710.0
Width of letterbox system in mm	1285.0
Total width in mm	1285.0
Depth in mm	100.0 | 150.0
Weight in kg	40
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618