10-piece stainless steel flush-mounted letterbox system BASIC Plus 382XU UP with bell box on the side - RAL of your choice | Left | 100mm depth | ? Colour of your choice | with 10 mailboxes



Product number 382XU-10-SPS-100-L

Product description

10-unit stainless steel flush-mounted letterbox system BASIC Plus 382XU UP with side doorbell box - RAL colour of your choice

Modern flush-mounted letterbox for 10 occupants - made in Germany by Briefkasten Manufaktur.

The letterbox is made entirely of stainless steel V2A, powder-coated in RAL colour. The very high-quality workmanship and the well thought-out concept make this flush-mounted letterbox one of our top sellers. A rain drainage edge for optimal water protection, a continuous rubber lip for quiet posting, the solid interchangeable nameplate, a practical mail retention bracket and the very robust lock characterise this flush-mounted letterbox. The flush-mounted frame made of stainless steel V2A is equipped with a foam rubber seal and guarantees very high durability.

The letterbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, easy replacement-part assembly and uncomplicated self-installation. Spare parts for all BASIC Plus systems are readily available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- **10-unit flush-mounted letterbox system entirely made of stainless steel V2A 1.4301, powder-coated in RAL colour**
- The system is manufactured at Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion aperture (3.5 cm x 32.5 cm) for C4 landscape; large envelopes also fit in without folding.
- Insertion flap with noise-damping rubber seal for very quiet posting of mail.
- The door opens from left to right.
- Includes 2 keys with key number, interchangeable nameplate (type 2) under the insertion flap and mail retention bracket.
- Large capacity with optional letterbox depth +50 mm = approx. 17 l. Suitable for businesses and households with very high mail volume.
- **Doorbell box made of stainless steel V2A 1.4301, powder-coated in RAL colour, fine-structure matt finish**
- Speaker perforation with universal adapter. (Intercom/embedded loudspeaker not included). Also available without speaker perforation.
- Universal adapter is suitable for all common embedded loudspeakers (Siedle, Ritto, TCS, Busch-Jaeger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit etc.).
- Round stainless steel doorbell push-button type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP54 (press-force limitation).
- Anti-vandalism - The nameplate is impact-resistant and shockproof; the plastic is flame-retardant.
- Plaster covering frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.

Preparation for camera or intercom station

We recommend that the electrical installation is always carried out by a qualified electrician.

We offer preparation for cameras & intercoms from various manufacturers for our letterboxes. The preparation does not include end devices; it consists of providing the mounting brackets, drillings & cut-outs so that you can easily mount your device.

Water protection

To achieve optimal protection of your mail from water, the letterbox or letterbox system should, if possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. Therefore it is necessary to plan letterboxes of sufficient size for the expected demand. Under certain extreme weather conditions, water may still enter (according to DIN EN 13724 up to 1ccm). This is not a reason for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	10 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 10 letterboxes
Mounting type	Flush-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	710.0
Width of letterbox system in mm	1995.0
Total width in mm	1995.0
Depth in mm	100.0 | 150.0
Weight in kg	52
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618