8-unit freestanding mailbox system Design BASIC 385 ST-R - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 8 mailboxes



Product number 385-7016-8W

Product description

Freestanding 8-unit mailbox system BASIC 385 for 8 households – wide, multi-column design – RAL 7016 Anthracite grey

With 8 individually usable mail compartments, the freestanding BASIC 385 offers a clear mail solution for apartment buildings, residential complexes and commercially used properties. Floor mounting enables flexible positioning where the system is easily accessible to residents and postal carriers.

The W configuration arranges the mail compartments in a wider, multi-column layout and creates a clear front for multiple users.

The mailboxes are made of galvanised steel and are powder-coated in RAL 7016 Anthracite grey with a fine-textured matt finish. A close-fitting side cladding with rain hood unites the individual mailboxes into a single enclosed system.

Each compartment features an inlet of 35 × 265 mm for DIN C4 items in portrait orientation. A noise-dampening rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys with key number and an interchangeable nameplate located below the mail flap.

The advantages of the BASIC 385 at a glance

Solid stainless-steel stand elements

Round-tube stand elements with approx. 60 mm diameter in brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

Large inlet compliant with DIN EN 13724

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The mail slot measuring 35 × 265 mm is designed for DIN C4 items in portrait format. Larger envelopes can also be deposited without folding.

Quiet deposit and convenient retrieval

A noise-dampening rubber lip reduces the impact of the inlet flaps. Mail is retrieved from the front via doors that open from left to right.

Durable finish in RAL 7016

The matt fine-textured surface in Anthracite grey combines a modern appearance with a resilient coating of the galvanised steel.

Proven BASIC quality Made in Germany

The combination of solid material selection, DIN EN 13724-compliant mail compartments and an installation-friendly construction makes the BASIC 385 a durable solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Wide, multi-column design
Number of mailboxes 8 individually usable mail compartments
Mailbox material Galvanised steel
Finish RAL 7016 Anthracite grey, fine-textured matt
Rain hood / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite grey, fine-textured matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Inlet flaps With noise-dampening rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the mail flap
Standard Mailboxes compliant with DIN EN 13724

Stand elements and equipment

Stand elements Round tube approx. 60 mm in stainless steel V2A 1.4301, brushed
Types of mounting Either for bolted installation or for embedding in concrete
Fixings Anchor bolts for bolted installation are not included; select appropriate anchors for the foundation separately

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres of volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres of volume is also available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Installation by embedding in concrete

For the freestanding system we recommend a suitably dimensioned concrete foundation. When embedding, the stainless-steel stand elements must be set plumb and permanently anchored in the foundation. Foundation size and embedment depth should be adjusted to ground conditions, system weight and local circumstances.

Bolted installation on a foundation

For bolted installation a level and load-bearing concrete foundation is required. Suitable anchor bolts or fixing materials must be chosen to suit the substrate and the load on the system. For BASIC-385-ST-R variants, anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Post is best protected from moisture and dirt only when fully inserted and with the mail flap closed. Protruding items can prevent the flap from closing completely. In extreme weather conditions, moisture may enter the mailbox despite norm-compliant construction.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Removal of mail	On the front
Number of boxes	with 8 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	440.0
Width of letterbox system in mm	600.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	765.0
Depth in mm	435.0
Weight in kg	47
Delivery condition	Delivery is made in blocks; stand elements / mailbox are split.


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen





More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618