10-compartment stainless steel freestanding mailbox Design BASIC Plus 385XP ST-T with doorbell panel - RAL colour of your choice | Left | ? Colour of your choice | with 10 mailboxes



Product number 385XP-10S-SP-L

Product description

Freestanding mailbox system BASIC Plus 385XP ST-T with bell/intercom module for 10 households – bell module left / S configuration

The freestanding BASIC Plus 385XP ST-T mailbox system for 10 households combines robust stainless-steel letterboxes with an integrated bell/intercom module. Mailbox system and visitor communication are thus combined into a stable, visually unified entrance solution for larger multi-family houses, residential complexes and commercial properties. In this version the bell/intercom module is positioned on the left.

The letterboxes are made from stainless steel V2A and are high-quality powder-coated in a RAL colour of your choice. Particularly noteworthy are the solid support posts made from anodised aluminium profile: these are also powder-coated, very robustly manufactured and provide an exceptionally sturdy base for the entire mailbox system. Stainless steel and solid aluminium combine durability with a clear, high-quality architectural appearance.

Each mailbox measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait orientation. A noise-reducing rubber lip on the flap, front mail retrieval, a robust lock and the interchangeable nameplate ensure comfortable everyday use.

The advantages of the BASIC Plus 385XP ST-T system at a glance

Mailbox and bell in one system

10 mailboxes are combined with a bell/intercom module. This reduces additional individual components at the property entrance and ensures a tidy overall appearance.

Solid aluminium support posts

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Solidly manufactured, anodised aluminium profiles form the particularly robust base of the system. The powder-coated profile construction is designed for high stability and long-term outdoor use.

DIN C4 insertion with 12-litre volume

The 300 × 110 × 385 mm mailboxes each offer approx. 12 litres of mail volume. The 35 × 265 mm insertion opening accepts DIN C4 letters in portrait orientation.

Bell/intercom module prepared

The integrated bell/intercom module provides a central location for doorbell buttons and the integration of compatible intercom systems. The electrical components are implemented to suit the planned installation.

BASIC Plus – built for high loads

The consistent combination of stainless steel V2A and solid aluminium profiles makes the 385XP an especially robust mailbox system. The modular construction simplifies installation, maintenance and the later replacement of individual components.

Equipment of the BASIC Plus 385XP ST-T mailbox system

Mailbox system

Number of mailboxes 10 individually lockable letterboxes
Single box 300 × 110 × 385 mm (W × H × D)
Mail volume Approx. 12 litres per mailbox
Mailbox material Stainless steel V2A, powder-coated in RAL colour of your choice
Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and additional functions

Bell/intercom module Integrated into the mailbox system
Position Left
Doorbell buttons Matching the number of households
Intercom system Prepared for a compatible door communication solution
Electrical connection To be provided on site according to the chosen intercom system
Note Intercom and connection components depend on the selected configuration

Solid aluminium support posts

Support posts Solid anodised aluminium profile, powder-coated
Construction Designed to be particularly robust and load-bearing
Surface RAL colour matching the mailbox system
Installation Freestanding installation on a suitable foundation
Side cladding Close-fitting design
BASIC Plus Modular, maintenance-friendly and designed for easy installation

Note on the bell/intercom module

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The specific intercom system, power supply and cabling depend on the chosen door communication solution. Installation and connection should be carried out by appropriately qualified professionals.

Foundation and secure installation

The solid aluminium support posts require a level and sufficiently load-bearing surface or a suitably dimensioned concrete foundation. Foundation size, fixing and alignment must be matched to the system weight, size, ground conditions and local loads.

Note on weather protection

Rain hood, close-fitting side cladding and drip channels support weather protection. Mail items must be fully inserted so that the flaps can close completely.

BASIC Plus – robust and modular

The BASIC Plus construction relies on stainless steel V2A and solid aluminium profiles. The modular design simplifies installation and the later replacement of individual components and is designed for long service life.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	10 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301
Mounting type	Free-standing
Removal of mail	On the front
Number of boxes	with 10 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Overall height in mm	1600.0
Total width in mm	680.0
Depth in mm	435.0
Weight in kg	78
Delivery condition	Delivery is carried out in blocks; stand elements / mailbox separated.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618