Designer flush-fit mailbox GOETHE UP side-entry with newspaper compartment - RAL colour of your choice - prepared for LOXONE Intercom | Right | with newspaper compartment | Prepared for dual LOXONE Intercom + Code Touch



Product number 215-UP-1-SPSZF-LX-R-LOX2H

Product description

Design flush-mounted letterbox GOETHE UP side-mounted with newspaper compartment - RAL colour of your choice - LOXONE Intercom prepared

High-quality flush-mounted letterbox with newspaper compartment and side LOXONE intercom in a flush design. The modern GOETHE letterbox is ideal for sophisticated entrance areas. The straight-lined design without a visible lock makes this letterbox appear particularly elegant. The LOXONE intercom can be seamlessly integrated into the flush design and replaced at any time. The preparation is provided for 1 x LOXONE intercom (including drilling for sound outlet) or 1 x LOXONE intercom (including drilling for sound outlet) + 1 x LOXONE NFC Code Touch/Touch Pure.

The dimensions of the single box allow a capacity of approx. 16 litres; the large aperture ensures that C4 envelopes and magazines, or post accumulated during several days of absence, are not creased. The innovative Push-Key lock is hidden invisibly inside the letterbox. The key is simply inserted into the existing opening (no turning required) and the door opens. The position of the lock is designed so that the collection door prevents your post from falling out towards you. Thanks to the water-drip edge, the internal post is optimally protected from the weather. The inlet flap is fitted with high-quality hinge dampers to ensure a very quiet closure and to prevent annoying rattling caused by weather influences.

The letterbox systems of the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, simple spare-part assembly and uncomplicated self-installation. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-installation is straightforward.

Protected utility model according to DPMA file reference DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Flush-mounted letterbox completely made from stainless steel.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterbox (BH 400x400mm) made from stainless steel grade 1.4016 (non-rusting magnetic stainless steel), powder-coated in the RAL colour of your choice.
- Innovative Push-Key lock with 2 keys.
- Mail insertion and retrieval are from the front. Inlet flap with high-quality hinge dampers for very quiet mail insertion.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit in without bending.
- The collection door opens from top to bottom. This prevents your post from falling out towards you.
- Newspaper compartment (BH 400x200mm) made from stainless steel grade 1.4016 (non-rusting magnetic stainless steel), powder-coated in the RAL colour of your choice with stainless steel laser engraving "NEWSPAPER" (font ARIAL; if name/house number is selected, then in your chosen font).
- Newspaper compartment opens from bottom to top.
- Function box (BH 200x600mm) made from stainless steel grade 1.4016 (non-rusting magnetic stainless steel), powder-coated in the RAL colour of your choice.
- Optionally with house number, laser-engraved, or house number backlit in white including EVN LED power supply / transformer IP65 12V/DC 0.1−4W for the LED illumination of the house number.
- Optionally with name engraving, laser-engraved or through-engraved (illuminated).
- Plaster cover frame made from 2 mm stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- **WITHOUT LOXONE intercom/system components!**

Important information

Camera or intercom preparation

We always recommend that electrical installation be carried out by a qualified electrician.

We offer intercom preparation for various manufacturers for our letterboxes. The preparation does not include end devices; it consists of providing the mounting brackets, drillings & holes so that you can mount your device without difficulty.

Water protection

To achieve optimal water protection for your post, the letterbox or letterbox system should, if possible, be located under a canopy.

Postal items are only protected from water when they are placed completely inside the box and the inlet flap is closed. Post that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	LOXONE
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 400.0 | ZF 200.0
Width of single box in mm	400,0
Capacity in litres	BK 16.0 | ZF 8.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	External dimension 652.0 | installation dimension 605.0
Width of letterbox system in mm	External dimension 652.0 | installation dimension 605.0
Overall height in mm	recommended 1500.0 - 1700.0
Total width in mm	650,0
Depth in mm	100.0 | installation dimension 103.5
Weight in kg	21
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images



Familie
Schotter
16
ZEITUNG


ZEITUNG


654
600
654
600
111/211
100/200







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618