2-mailbox GOETHE system with 2 newspaper and storage compartments to Swiss postal standards – flush-mounted – choice of RAL colour

Product number BML3D-KT44FA8Y2H



Product description

GOETHE flush-mounted system with Push-Key locks and separate compartments to Swiss postal standards

This mailbox system from the GOETHE range combines two mailboxes with two separate newspaper and storage compartments to Swiss postal standards. The flush-mounted design with a plaster trim frame brings the four boxes together in a neatly arranged unit for your entrance area.

The stainless steel system is available with a powder coating in your choice of RAL colour. Two differently keyed Push-Key locks for the mailboxes and a total of four nameplates form part of the selected specification.

Features of this mailbox system

- Overall external dimensions (W × H × D): 854 × 452 × 411 mm.
- Configuration: 2 mailboxes and 2 accessory boxes serving as newspaper and storage compartments to Swiss postal standards; all accessed from the front.
- Installation: flush mounting with a plaster trim frame made from 1,5 mm thick V2A 1.4301 stainless steel.
- Material: body made from 1.4016 stainless steel, faceplates and frame made from V2A 1.4301 stainless steel.
- Finish: powder coating in your choice of RAL colour.
- External dimensions of each mailbox and each newspaper and storage compartment (W × H × D): 400 × 200 × 400 mm; these are not usable internal dimensions.

Special features of this mailbox system

Push-Key locks with no turning required

Each of the two mailboxes is fitted with a purely mechanical Push-Key lock. To open it, insert the key without turning it. To close it, push the flap shut.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The two locks are keyed differently, each with its own individual key number. Two keys are supplied with each lock.

Four nameplates with a notice about advertising

Each mailbox has two BASIC Type 2 nameplates made from crystal-clear polycarbonate. You can change the inserts from the front.

A “No advertising, thank you” insert is included. This allows you to use the additional nameplate to indicate that you do not wish to receive advertising.

Damped letter flap for DIN-C4 envelopes

The mailboxes have a damped letter flap for quiet delivery. The letter slot is designed for DIN-C4 envelopes. The slot height and tapered chute make it harder to remove mail through the slot without authorisation.

A rainwater run-off edge and a continuous rubber lip help protect against water ingress. The collection door is designed to help prevent mail from falling out when opened.

Newspaper and storage compartments to Swiss postal standards

The two separate stainless steel compartments are designed as newspaper and storage compartments to Swiss postal standards. They provide space for newspapers and magazines, are accessed from the front and open upwards from the bottom.

The newspaper and storage compartments are not secure parcel boxes.

Wall finish with a plaster trim frame

The plaster trim frame covers the transition between the installation opening and the wall surface, providing a finished edge for the flush-mounted system. It does not serve as a rain canopy.

Individually configurable

Create a mailbox system to suit your home: select “Configure now” to adapt this configuration to your requirements.

- Box finish: customise the colour in the 3D configurator using the colours available for this version.
- Custom lettering: personalise the designated areas with your own names, house numbers or text. Any lettering shown is an example and can be replaced.
- Lettering style: choose from the fonts available for lettering and adjust the appearance in the configurator.
- Equipment: add or change compatible components from the selection currently available for the system.

When you make individual changes, the dimensions and price are recalculated in the 3D configurator to match your selection.

Important information

Protection against water ingress: a sheltered location, ideally beneath a canopy, helps protect your mail. Mail should be inserted fully and the letter flap should be closed.

Installation: check the mounting surface and installation conditions against the overall dimensions and installation instructions.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Series	GOETHE
Access control	Push-Key
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Number of boxes	with 2 letterboxes
Removal of mail	On the front
Surface/colour	RAL of your choice (according to colour table)
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	200
Width of single box in mm	400
Overall height in mm	452
Total width in mm	854
Depth in mm	411

Dimension drawing





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618