# 10-unit stainless steel mailbox system Design BASIC Plus 385XW for side wall mounting - RAL colour of your choice | Left | with 10 mailboxes



**Product number** 385XW-10S

## Product description

## Side-mounted BASIC Plus 385XW mailbox system for 10 households – box position left

The BASIC Plus 385XW is a high-quality stainless steel mailbox system for side wall mounting for 10 households. It was developed for apartment buildings and larger properties with ten separate units and enables space-saving installation to the side of the front door or on a suitable wall surface.

The 1×10 arrangement groups ten separate mailboxes into a very slim multi-occupancy system for side wall mounting.

The mailboxes are made of stainless steel V2A 1.4301 and are powder-coated in a RAL or DB colour of your choice. The rain hood and side cladding are also made of stainless steel. The side fixing is carried out via stainless steel columns of Ø 60.3 mm with a 240-grit brushed finish.

In this item variant the box position is on the left. The side arrangement creates a clear mounting edge and makes it possible to align the mailbox system to suit the structural situation at the entrance.

## The advantages of the BASIC Plus 385XW at a glance

### Robust stainless steel mounting columns

The side wall fixing is via Ø 60.3 mm columns made of stainless steel V2A 1.4301 with a 240-grit brushed finish. They create a stable and durable connection between the mailbox system and the building wall.

### Side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The 385XW is mounted to the side of a suitable house wall. The box position of this variant is left; this allows the system to be adapted precisely to the existing entrance situation.

### BASIC Plus in stainless steel V2A

Mailboxes, cladding and fastening elements consistently use stainless steel V2A 1.4301. The powder-coated mailboxes combine a high-quality surface with a durable construction.

### DIN C4 letter flap with rubber lip

Each compartment has an insertion opening measuring 35 × 265 mm for DIN C4 portrait. A noise-damping rubber lip reduces the impact noise of the letter flap.

### Robust solution for 10 households

Ten mailboxes conforming to DIN EN 13724 are combined into a slim, robust BASIC Plus multi-occupancy system. The modular BASIC Plus construction also facilitates maintenance and replacement part installation.

## Equipment of the BASIC Plus 385XW for 10 households

### Mailbox system

**Number of compartments** 10 mailboxes
**Arrangement** 1 column × 10 rows
**Material** Stainless steel V2A 1.4301
**Surface** Powder-coated in RAL/DB colour of choice
**Rain hood / side cladding** Stainless steel V2A 1.4301, powder-coated to match
**Manufacture** Made in Germany by Briefkasten Manufaktur Lippe

### Mail and operation

**Insertion opening** 35 × 265 mm per mailbox, suitable for DIN C4 portrait
**Mail volume** Approx. 12 litres per mailbox
**Letter flaps** With noise-damping rubber lip
**Mail retrieval** From the front
**Door opening** From left to right
**Keys** 20 keys in total, 2 per mailbox
**Nameplates** 10 changeable nameplates beneath the letter flaps

### Side fixing

**Box position** Left
**Mounting columns** Ø 60.3 mm stainless steel V2A 1.4301
**Column surface** 240-grit brushed finish
**Mounting type** Screw-mounted to a suitable house wall
**Fixings** Choose anchor bolts or coach screws on site to suit the wall
**Standard** Mailboxes conforming to DIN EN 13724

**Note on side wall mounting**

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be clean, even and sufficiently load-bearing for the weight of the complete mailbox system. Anchor bolts or coach screws are not included and must be selected to suit the wall construction, system weight and local mounting conditions.

#### Note on weather protection

Mail items must be fully inserted so that the letter flaps can close. The insertion front should, if possible, not be directly exposed to the prevailing weather. Under extreme weather conditions, moisture may penetrate despite norm-compliant construction.

#### Maintenance and BASIC Plus construction

Stainless steel V2A is low-maintenance and durable. The modular BASIC Plus construction has been designed for uncomplicated installation and good availability of spare parts.

## Product properties

| | |
|---|---|
| **Surface/colour** | RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white |
| **Series** | BASIC |
| **Boxes by volume** | Normal > 10 litres |
| **Name labelling** | Nameplate |
| **Material** | Stainless steel V2A 1.4301 |
| **House number** | House number as laser engraving |
| **Removal of mail** | On the front |
| **Number of boxes** | with 10 letterboxes |
| **Mounting type** | Surface-mounted |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions


| | |
|---|---|
| **Height in mm** | 1260 |
| **Height of single box in mm** | 110.0 |
| **Width of single box in mm** | 300.0 |
| **Capacity in litres** | 12 |
| **Height of letterbox slot in mm** | 35.0 |
| **Width of letter slot in mm** | 265.0 |
| **Height of letterbox in mm** | 1100.0 |
| **Width of letterbox system in mm** | 300.0 |
| **Total width in mm** | 400.0 |
| **Depth in mm** | 435.0 |
| **Weight in kg** | 55 |
| **Delivery condition** | Delivery is made in sections; freestanding elements / mailbox delivered in parts. |

### Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## More images











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618








Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618