
Freestanding XXL parcel box GOETHE with 1 mailbox and LOXONE Intercom/Code Touch 1x2 prepared on the left - airlock system - RAL colour of your choice | Left | with 1 mailbox | Front mail retrieval | Prepared for dual LOXONE Intercom + Code Touch



Product number 215-STL-PK600-1BK-SPL-LOX2

Product description

Freestanding XXL parcel box GOETHE with 1 letterbox and LOXONE Intercom/Code Touch 1x2 prepared on the left - sluice system - RAL colour of your choice

Parcel delivery has changed significantly in recent years – today customers expect more flexibility and security than ever before. With the **Paketbriefkasten GOETHE** from Briefkasten Manufaktur you rely on an optimal combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminium, powder-coated in the RAL colour of your choice. The column is **prepared for LOXONE Intercom/Code Touch 1x2**. The flush-mounted design allows seamless integration of up to two LOXONE system modules (not included) via a well-thought-out mounting system. The preparation is intended for 1 x LOXONE Intercom (including opening for sound emission) + 1 x LOXONE NFC Code Touch/Touch Pure.

The **letterbox** (W×H 400×400 mm) is made from stainless steel 1.4016 (magnetic, corrosion-resistant stainless steel), powder-coated in a RAL colour of your choice. It is equipped with an innovative Push-Key lock that is keyed alike with the parcel box and supplied with ten keys. Letter insertion and retrieval are from the front. The insertion flap is fitted with high-quality dampers, allowing mail to be inserted very quietly. The letterbox complies with **DIN/EN 13724** with an insertion aperture of 3.5 × 36.0 cm – sufficient for C4 envelopes in landscape format without folding. The retrieval door opens downwards so that your mail cannot fall out. The dimensions of the letterbox provide a capacity of approx. 64 litres. The innovative Push-Key lock is discreetly hidden inside: the key is simply inserted – without turning – and the door opens.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The generous **parcel compartment** (W×H 600×1200 mm) is also made from stainless steel 1.4016, powder-coated in a RAL colour of your choice. It offers a volume of 192 litres and allows delivery of parcels up to a size of 555 × 375 × 305 mm (W×H×D), which corresponds to DHL parcel size L. The parcel insertion flap is damped and closes particularly quietly. Thanks to the specially developed delivery sluice, your parcel is automatically transferred into the secured retrieval compartment after insertion. The sluice is immediately ready for further deliveries and remains isolated from the retrieval compartment – so your shipments are always optimally protected. Any carrier (e.g. DHL, DPD, TNT, GLS, Hermes) can use the parcel letterbox. Depending on placement, up to four DHL parcels of size M can even fit inside.

Briefkasten Manufaktur places the greatest value on high-quality materials. Stainless steel provides extremely high corrosion resistance and an elegant surface finish. Quality assurance begins with the selection of our raw material suppliers and only ends when the parcel letterbox reaches you in the required quality. Rely on the **Paketbriefkasten GOETHE** – a secure, flexible and stylish solution for your mail and parcel delivery. A product that combines traditional craftsmanship with the latest technology – Made in Germany by Briefkasten Manufaktur Lippe.

- High-quality parcel letterbox made of stainless steel and aluminium, powder-coated in the colour of your choice.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterbox (W×H 400×400 mm) made of stainless steel 1.4016 (magnetic, corrosion-resistant stainless steel), powder-coated in a RAL colour of your choice with laser-engraved stainless steel pictogram "LETTER".
- 2 innovative Push-Key locks with 10 keys, keyed alike.
- Letter insertion and retrieval are from the front. Insertion flap with high-quality dampers for very quiet mail insertion.
- The letterbox complies with DIN/EN 13724. Insertion aperture (3.5 cm × 36.0 cm) for C4 in landscape format, allowing large letters without folding.
- Retrieval door opens from top to bottom. This prevents mail from falling out towards you.
- Parcel compartment (W×H 600×1200 mm) made of stainless steel 1.4016 (magnetic, corrosion-resistant stainless steel), powder-coated in a RAL colour of your choice with laser-engraved stainless steel pictogram "PARCEL".
- Parcel compartment volume: 192 litres, Max. parcel dimensions: 555 × 375 × 305 mm (W×H×D), corresponding to parcel size L.
- Parcel insertion flap with damping for quiet closing.
- Function compartment (W×H 200×400 mm) made of stainless steel 1.4016 (magnetic, corrosion-resistant stainless steel), powder-coated in a RAL colour of your choice.
- The LOXONE Intercom can be seamlessly integrated into the flush-mounted design and exchanged at any time. The preparation is intended for 1 x LOXONE Intercom (including opening for sound emission) + 1 x LOXONE NFC Code Touch/Touch Pure. WITHOUT LOXONE Intercom/system components!
- Optimal weather protection through rain runoff edges and a rain canopy made of 3 mm aluminium AlMg3 W19, powder-coated in a RAL colour of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in a RAL colour of your choice.
- Rear panel made of 1 mm stainless steel 1.4301 V2A, powder-coated in a RAL colour of your choice.
- Base made of 40×40×2 mm stainless steel tube 1.4301 V2A, powder-coated in a RAL colour of your choice.
- Invisible fixing and cable routing within the column. The overall height is 1.65 m.

Important information

Water protection

To achieve optimal water protection for your mail, the letterbox or letterbox system should, where possible, be installed under a canopy.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Mail is only protected from water when it is placed completely inside the compartment and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against water ingress in accordance with DIN EN 13724. Water ingress is not grounds for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Camera, Intercom, Fingerprint, Keypad, Parcel compartment
Functional box prepared for manufacturer	LOXONE
Number of boxes	with 1 parcel box, with 1 letterbox
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Boxes by volume	Jumbo > 30 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 400.0 | PK 1200.0
Width of single box in mm	BK 400,0 | PK 600,0
Capacity in litres	BK 64.0 | PK 192.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	360.0
Overall height in mm	1650.0
Total width in mm	608.0
Depth in mm	400.0 + 25.0 Rain canopy
Weight in kg	69
Delivery condition	Delivered assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618