3-unit surface-mounted mailbox BASIC Plus 382X AP with side-mounted doorbell box – RAL colour of your choice | Right | 150mm depth | ? Colour of your choice | with 3 mailboxes (3x1)



Product number 382XA-3W-SP-RAL-150-R

Product description

3-unit surface-mounted mailbox BASIC Plus 382X AP with side-mounted bell box - RAL of your choice

Deutsche Qualitätsfertigung "Made in Germany" by Briefkasten Manufaktur. The complete surface-mounted mailbox is made from weather-resistant stainless steel V2A, powder-coated in a RAL colour. A rain run-off edge for optimal water protection, a double-folded mail slot flap with rubber buffer, the sturdy interchangeable nameplate, a practical mail retention bracket and the very robust lock characterise this stainless steel mailbox.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare-part assembly and uncomplicated self-installation. Spare parts are directly available for all BASIC Plus systems.

Thanks to the design, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for elaborate wall mounting of individual boxes. 3-unit surface-mounted mailbox made from high-quality, weather-resistant stainless steel V2A 1.4301, powder-coated in a RAL colour of your choice.

Benefits at a glance

Close-fitting stainless steel cladding with rain canopy

Side cladding and rain canopy are part of this version and are made from stainless steel V2A, powder-coated in a RAL colour. The close-fitting design forms a closed, structurally coordinated unit with the mailbox system.

Generous letter slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The mail slot measures 35 × 325 mm and is designed for DIN C4 in landscape format. The mailbox design complies with DIN EN 13724.

Quiet insertion and comfortable retrieval

The integrated flap damper with rubber buffer reduces impact noise during insertion. The mail retention bracket holds items back during retrieval.

Integrated bell and intercom section

Bell box made from stainless steel V2A 1.4301, powder-coated in a RAL colour. A stainless steel bell push button Type 4 is used. Optionally prepared with a speaking grille for the installation of standard intercom systems or flush-mounted loudspeakers. (Intercom system/flush loudspeaker not included). An option with a Comelit Ultra video complete set is also available.

Quality manufacture and well-thought-out construction

The unit is manufactured at the Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 3 individually usable mail compartments
Arrangement 3 × 1
Depth 150 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish Powder-coated in a RAL colour of your choice
Bell/intercom section Bell box made from stainless steel V2A 1.4301, powder-coated in a RAL colour

Mail and operation

Mail slot 35 × 325 mm, suitable for DIN C4 in landscape format
Standard DIN EN 13724
Mail flap Sound-dampened with rubber buffer
Keys 2 keys with key number for each mailbox
Nameplate Interchangeable nameplate below the mail slot
Mail retention bracket Integrated for each mailbox

Installation and equipment

Mounting type Surface-mounted
Rain run-off edge Integrated into the construction
Rain canopy Made from stainless steel V2A, powder-coated in a RAL colour of your choice
Side cladding Made from stainless steel V2A, powder-coated in a RAL colour of your choice
Mounting materials For wall mounting including mounting rail and fixings (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Post items are optimally protected from moisture and dirt when fully inserted and with the mail flap closed. Protruding items can prevent the flap from closing completely.

Note on wall mounting

Before mounting, the load-bearing capacity and condition of the wall must be checked. The fastening must be matched to the system weight and the existing wall construction.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	1235.0
Total width in mm	1235.0
Depth in mm	100.0 | 150.0
Weight in kg	12

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618