Single stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - RAL colour of your choice | 150mm depth | ? Colour of your choice | with 1 mailbox | Top



Product number 382XA-1-SP-150-O

Product description

Single stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell unit - RAL colour of choice

High-quality surface-mounted mailbox for one party, made in Germany by Briefkasten Manufaktur. The mailbox is made entirely of stainless steel V2A, powder-coated in a RAL colour. The very high-quality workmanship and the well thought-out concept make this mailbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet insertion, the robust interchangeable nameplate, a practical mail retention bar and the very sturdy lock characterise this surface-mounted mailbox.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, simple spare-part assembly and uncomplicated self-installation.

Spare parts are directly available for all BASIC Plus systems. Surface-mounted mailbox made of stainless steel V2A, powder-coated in a RAL colour of choice.

Benefits at a glance

Stainless steel side cladding with rain canopy

Side cladding and rain canopy are made of stainless steel V2A, powder-coated in the RAL colour of your choice and complement the unit as a structurally coordinated weather protection.

Generous letter slot

The letter slot measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox conforms to DIN EN 13724.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and comfortable removal

The integrated flap damping with rubber seal reduces impact noise during insertion. The mail retention bar holds items back during removal.

Integrated bell and intercom area

Bell/intercom section made of stainless steel V2A, powder-coated in a RAL colour. A stainless steel bell button Type 4 is used as the doorbell push-button. Optionally prepared with a speaker grille for the installation of standard intercom systems or built-in speakers. (Intercom system / built-in speaker not included). An option with the Comelit Ultra video complete set is also available.

Quality manufacturing and thoughtful construction

The unit is manufactured at Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-installation.

Equipment and product details

Mailbox unit

Number of mailboxes 1 separately usable mailbox
Depth 150 mm
Mailbox material Stainless steel V2A
Mailbox finish Powder-coated in RAL colour of choice
Bell/intercom section Bell/intercom section made of stainless steel V2A, powder-coated in RAL colour

Mail and operation

Letter slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Letter flap Sound-dampened by a rubber seal
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the letter flap
Mail retention bar Integrated for each mailbox

Installation and equipment

Mounting type Surface-mounted
Rain drip edge Integrated into the construction
Rain canopy Made of stainless steel V2A, powder-coated in RAL colour of choice
Side cladding Made of stainless steel V2A, powder-coated in RAL colour of choice
Mounting material For wall mounting incl. fixing material (screws and wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail is as well protected as possible from moisture and soiling when fully inserted and with the letter flap closed. Oversized items may prevent the flap from fully closing.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. Fixings must be matched to the unit weight and the existing wall structure.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	430.0
Width of letterbox system in mm	355.0
Total width in mm	355.0
Depth in mm	100.0 | 150.0
Weight in kg	8

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618