10 pcs. 5x2 stainless steel flush-mounted letterbox system BASIC Plus 382XU UP - polished stainless steel - 10 parties | 100mm depth | Stainless steel, brushed | with 10 mailboxes



Product number 382XU-VA-10-100

Product description

10-unit (5x2) stainless steel flush-mounted letterbox system BASIC Plus 382XU UP - brushed stainless steel - 10 households

Modern flush-mounted letterbox for 10 households - made in Germany by Briefkasten Manufaktur.

The letterbox is made entirely of stainless steel V2A, brushed. The very high-quality workmanship and the well-thought-out concept make this flush-mounted letterbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical mail retention bar and the very robust lock characterise this flush-mounted letterbox. The flush-mounted frame made of stainless steel V2A is equipped with a foam rubber gasket and guarantees very high durability.

The letterbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility/modularity, easy spare-part replacement and uncomplicated self-assembly. Spare parts for all BASIC Plus systems are readily available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- 10-compartment flush-mounted letterbox system made entirely of stainless steel V2A 1.4301, 240-grit brushed finish.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Slot size (3.5 cm x 32.5 cm) for C4 landscape; large letters also fit in here without folding.
- Insertion flap with sound-damping rubber seal for very quiet insertion of mail.
- The door opens from left to right.
- Includes 2 keys with key number, interchangeable nameplate (type 2) under the insertion flap and mail retention bar.
- Large capacity through optional mailbox depth +50 mm = approx. 17 l. Suitable for businesses and households with very high mail volumes.
- Plaster cover frame made from stainless steel angle profile 25 x 58 mm, 240-grit brushed finish.

Important information:

Mail is protected against moisture and dirt only when fully inserted and with the flap closed. Under certain extreme weather conditions, water may still enter (according to DIN EN 13724 up to 1 cc). This is not grounds for a complaint.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 10 letterboxes
Surface/colour	Brushed
Mounting type	Flush-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	710.0
Width of letterbox system in mm	1825.0
Depth in mm	100.0 | 150.0
Weight in kg	42
Delivery condition	Delivered partially disassembled (2 blocks)

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618