20-unit freestanding mailbox system Design BASIC 385 ST-R - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 20 mailboxes



Product number 385-7016-20W

Product description

Freestanding 20-unit mailbox system BASIC 385 for 20 households – wide, multi-column configuration – RAL 7016 Anthracite grey

With 20 separately usable mail compartments, the freestanding BASIC 385 provides a clear mail solution for larger apartment buildings, residential complexes and discerning commercial properties. The stand installation allows flexible positioning where the system is easily accessible for residents and delivery personnel.

The W configuration distributes the mail compartments in a wider, multi-column system layout and creates a clear front for multiple users.

The mailboxes are made of galvanised steel and powder-coated in RAL 7016 Anthracite grey with a fine-textured matt finish. A close-fitting side cladding with rain hood unites the individual mailboxes into a single cohesive system.

Each compartment has an insertion opening of 35 × 265 mm suitable for DIN C4 items in portrait format. A noise-dampening rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys with key number and an interchangeable nameplate located beneath the insertion flap.

The benefits of the BASIC 385 at a glance

Solid stainless steel support posts

Round-tube support posts of approx. 60 mm diameter in brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

Large insertion opening to DIN EN 13724

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The insertion opening of 35 × 265 mm is designed for DIN C4 items in portrait format. Larger envelopes can also be inserted without folding.

Quiet deposit and convenient retrieval

A noise-dampening rubber lip reduces the impact of the insertion flaps. Mail is retrieved from the front via doors that open from left to right.

Durable surface in RAL 7016

The matte fine-textured surface in Anthracite grey combines a modern appearance with a resilient coating on the galvanised steel.

Proven BASIC quality — Made in Germany

The combination of solid material selection, mail compartments compliant with DIN EN 13724 and an installation-friendly construction makes the BASIC 385 a durable solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Configuration Wide, multi-column configuration
Number of mailboxes 20 separately usable mail compartments
Material of mailboxes Galvanised steel
Finish RAL 7016 Anthracite grey fine-textured matt
Rain hood / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-textured matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail handling and operation

Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-dampening rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the insertion flap
Standard Mailboxes conforming to DIN EN 13724

Support posts and accessories

Support posts Round tube approx. 60 mm in stainless steel V2A 1.4301, brushed
Mounting options Optional for bolted mounting or embedding in concrete
Fixings Anchor bolts for bolted mounting are not included; select suitable fastenings for the foundation separately

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres volume is also available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Installation by embedding in concrete

For the freestanding system we recommend a suitably dimensioned concrete foundation. When embedding, the stainless steel support posts must be set plumb and permanently anchored in the foundation. Foundation size and embedment depth must be adapted to soil conditions, system weight and local circumstances.

Bolt mounting to a foundation

For bolted mounting a level, load-bearing concrete foundation is required. Suitable anchor bolts or fastenings must be selected appropriate to the substrate and the load on the system. For the BASIC-385-ST-R variants, anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Mail is best protected from moisture and dirt only when fully inserted and the insertion flap is closed. Protruding items can prevent the flap from closing completely. In extreme weather conditions, moisture can enter the mailbox despite norm-compliant construction.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Number of boxes	with 20 letterboxes
Removal of mail	On the front

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	900.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	1060.0
Depth in mm	435.0
Weight in kg	88
Delivery condition	Delivery is made in blocks, freestanding elements / mailbox split


Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618