17-unit 6x3 surface-mounted mailbox system Design BASIC 385A- VA AP - stainless steel V2A, brushed | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | Stainless steel, brushed | with 17 mailboxes



Product number 385A-VA-17W

Product description

Wide surface-mounted mailbox system BASIC 385A for 17 households – stainless steel V2A, brushed

The BASIC 385A surface-mounted mailbox system for 17 households is a robust wall-mounted solution for larger apartment buildings, residential complexes and commercial properties. The wider W version distributes the mailboxes across a multi-column front and keeps the overall system comparatively lower and more organised.

The mailbox system is made from high-quality stainless steel V2A with a brushed finish. Mailboxes, cladding and rain hood form a timeless, low-maintenance and robust stainless steel unit.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys bearing a key number and an interchangeable nameplate located beneath the mail slot.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain hood and side cladding

The rain hood and side panels combine the individual mailboxes into a closed surface-mounted unit. The coordinated cladding ensures a calm front and a neat finish on the façade.

DIN C4 mail slot and 12 litres of volume

The 300 × 110 × 385 mm (W × H × D) compartments each provide approx. 12 litres of volume. The 35 × 265 mm mail slot also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the mail flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear assignment of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies installation; fixings with screws and wall plugs are included in the described configuration.

Entirely in brushed stainless steel

The V2A version combines a high-quality metal surface with a robust construction for durable surface-mounted mailbox systems. The system is manufactured in Germany by the Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 17 individually lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per compartment
Material Stainless steel V2A 1.4301, brushed
Finish Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 (portrait)
Mail flaps With noise-dampening rubber lip
Mail retrieval From the front
Door opening Doors open from left to right
Keys 2 keys with key number per compartment
Nameplate Interchangeable nameplate beneath the mail slot

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Sturdy, matching the system
Mounting type Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; suitability for the on-site wall construction must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems (ETICS) appropriate fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the mail slot flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 17 letterboxes
Surface/colour	Brushed
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	900.0
Total width in mm	608.0
Depth in mm	435.0
Weight in kg	85
Delivery condition	Delivered partially assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618