Designer flush-mounted mailbox GOETHE UP - RAL colour of your choice - Doorbell and intercom housing - CUSTOM | without newspaper compartment | 100mm depth | Individualised preparation



Product number 215-UP-1-SP-IND

Product description

Design recessed letterbox GOETHE UP - RAL of your choice - bell/intercom box

High-quality recessed letterbox with bell/intercom box in a flush-mounted design. The modern GOETHE letterbox is ideal for an upscale entrance area. The straight-lined form without a visible lock gives this letterbox an especially elegant appearance. The custom-configurable bell/intercom box is available with a flush-mounted doorbell button, a nameplate or inscription in combination with your desired intercom preparation (built-in speaker not included) and/or camera preparation.

The dimensions of the single box provide a capacity of approx. 16 litres; the large mail opening also guarantees uncreased mail for C4 envelopes and magazines, even after several days away. The innovative push-key lock is hidden invisibly inside the letterbox. The key is simply inserted into the existing opening (no turning required) and the door opens. With the lock arrangement, this letterbox is designed so that the collection door prevents the mail from falling towards you. Thanks to the water-drip edge, the mail inside is optimally protected from the elements. The insertion flap is fitted with high-quality pivot dampers to ensure very quiet closing and to prevent rattling caused by the weather.

The GOETHE collection letterbox systems are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, easy spare-part installation and straightforward self-assembly. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the way it is constructed, self-assembly is uncomplicated.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Recessed letterbox made entirely of stainless steel.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterbox (W×H 400x400 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL of your choice.
- Innovative push-key lock with 2 keys.
- Letters are inserted and collected from the front. Insertion flap with high-quality pivot dampers for very quiet posting.
- The letterbox complies with DIN/EN 13724. Insertion opening (3.5 cm x 36.0 cm) for C4 landscape; large letters fit in without bending.
- Collection door opens from top to bottom, preventing the mail from falling out towards you.
- Optional house number inscription approx. 70–80 mm high.
- Function box (W×H 400x200 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL of your choice.
- Optionally interchangeable stainless steel nameplate with laser engraving, Plexiglas nameplate or direct illuminated inscription.
- 8–12 V DC short-stroke doorbell push-button with LED ring illumination (blue, white, red or green). The illumination of the bell push-buttons cannot be powered via the control unit. It must be connected to an additional 8–12 V DC power supply.
- Optional 8–12 V DC short-stroke illuminated push-button with pictogram is available.
- Preparation for intercom system possible (built-in speaker not included).
- Optional with universal adapter for all commercially available flush-mount loudspeakers.
- Optional preparation for a camera (camera not included).
- Optimal protection from rain thanks to rain-drip edges.
- Plaster cover frame made from stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.

Important information

Camera or intercom preparation

We recommend that electrical installation is always carried out by a qualified electrician.

We offer preparation for intercom stations from various manufacturers for our letterboxes. The preparation does not include end devices; it consists of providing the screw fittings, drill holes and perforations so that you can mount your end device without difficulty.

Water protection

To achieve optimal water protection for your mail, the letterbox or letterbox system should, where possible, be located under a canopy.

Mail is only protected from water when it has been placed completely inside the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Number of bell push buttons	1 button
Functions	Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 400.0 | FK 200.0
Width of single box in mm	400,0
Capacity in litres	16
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	External dimension 652.0 | installation dimension 620.0
Width of letterbox system in mm	External dimension 452.0 | installation dimension 420.0
Total width in mm	External dimension 452.0 | installation dimension 420.0
Depth in mm	100.0 | installation dimension 103.5
Weight in kg	12
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618