8-piece stainless steel flush-mounted letterbox system BASIC Plus 382XU UP with bell box on the side | Left | 100mm depth | Stainless steel, brushed | with 8 mailboxes



Product number 382XU-VA-8-SPS-100-L

Product description

8-unit stainless steel recessed mailbox system BASIC Plus 382XU UP with side-mounted bell box - brushed stainless steel

Modern recessed mailbox for 8 households - made in Germany by Briefkasten Manufaktur.

The mailbox is made entirely of stainless steel V2A, brushed. The very high-quality workmanship and the well-thought-out concept make this recessed mailbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet mail drop, the solid interchangeable nameplate, a practical mail retention bar and the very robust lock characterise this recessed mailbox. The recessed frame made of stainless steel V2A is equipped with a foam rubber seal and guarantees very high durability.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high longevity and sustainability. The construction was developed by our own engineers with a focus on high flexibility and modularity, easy spare part installation and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- **8-unit recessed mailbox system completely made of stainless steel V2A 1.4301, 240 grit brushed**
- The system is manufactured at Briefkasten Manufaktur. German quality production "Made in Germany".
- The mailboxes comply with DIN/EN 13724. Letter slot size (3.5 cm x 32.5 cm) for C4 landscape; large letters also fit in without folding.
- Letter flap with noise-damping rubber seal for very quiet mail drop.
- The door opens from left to right.
- Incl. 2 keys with key number, interchangeable nameplate (Type 2) under the letter flap and mail retention bar.
- Large capacity through optional mailbox depth +50 mm = approx. 17 l. Suitable for businesses and households with very high mail volume.
- **Doorbell box made of stainless steel V2A, 240 grit brushed**
- Preparation (built-in speaker not included) for an intercom system possible. Optional with universal adapter for all common built-in speakers.
- Universal adapter is suitable for all common built-in speakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Preparation (camera not included) for a camera.
- 8x round stainless steel doorbell buttons Type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (push-force limitation).
- Interchangeable nameplate (Type 2), changeable from the front.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, 240 grit brushed.

Preparation for camera or intercom station

We always recommend having the electrical installation carried out by a qualified electrician.

We offer preparation for cameras & intercom stations from various manufacturers for our mailboxes. The preparation does not include end devices; it involves providing the mounting points, drillings & cut-outs so that you can mount your device without difficulty.

Water protection

To achieve optimal water protection for your mail, the mailbox or mailbox system should, if possible, be located under a canopy.

Mail items are only protected from water if they are placed completely inside the box and the letter flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. Therefore it is necessary to plan mailboxes of sufficient size for the expected demand. Under certain extreme weather conditions water may still enter (according to DIN EN 13724 up to 1 cc). This is not grounds for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Series	BASIC
Number of bell push buttons	8 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Number of boxes	with 8 letterboxes
Mounting type	Flush-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	710.0
Width of letterbox system in mm	1640.0
Total width in mm	1640.0
Depth in mm	100.0 | 150.0
Weight in kg	46
Delivery condition	Delivered fully assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618