Single stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with doorbell box - stainless steel V2A | 150mm depth | with 1 mailbox | Top | Stainless steel, brushed



Product number 382XA-VA-1-SP-150-O

Product description

Single stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - stainless steel V2A

High-quality surface-mounted mailbox for 1 household made in Germany by Briefkasten Manufaktur. The mailbox is made entirely from stainless steel V2A, 240-grit brushed. The very high-quality workmanship and well thought-out concept make this mailbox one of our top sellers. A rain run-off edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical mail retention bracket and the very robust lock characterise this surface-mounted mailbox.

The mailbox units of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility/modularity, easy spare part assembly and uncomplicated self-assembly.

Spare parts are directly available for all BASIC Plus units. Surface-mounted mailbox made from weather-resistant stainless steel V2A 1.4301, 240-grit brushed.

Benefits at a glance

Stainless steel side cladding with rain canopy

Side cladding and rain canopy are made from stainless steel V2A 1.4301, 240-grit brushed and complement the unit as a structurally matched weather protection.

Generous letter slot

The aperture measures 35 × 325 mm and is designed for DIN C4 in landscape format. The mailbox version complies with DIN EN 13724.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and convenient retrieval

The integrated flap damping with rubber seal reduces impact noise during insertion. The mail retention bracket holds items back during retrieval.

Integrated doorbell and intercom area

Bell box made from stainless steel V2A 1.4301, 240-grit brushed. A stainless steel doorbell push button Type 4 is used. Optionally prepared with a speech grille for the installation of standard audio intercom systems or built-in loudspeakers. (Intercom system / built-in loudspeaker not included). An option with a Comelit Ultra video complete set is also available.

Quality manufacturing and considered construction

The unit is manufactured in Germany by Briefkasten Manufaktur. The design is intended for straightforward self-assembly.

Equipment and product details

Mailbox unit

Number of mailboxes 1 individually usable mailbox
Depth 150 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish 240-grit brushed
Bell / intercom section Bell box made from stainless steel V2A 1.4301, 240-grit brushed

Mail and operation

Aperture 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Insertion flap Sound-dampened by rubber seal
Mail retrieval Front access
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the insertion flap
Mail retention bracket Integrated per mailbox

Mounting and equipment

Mounting type Surface-mounted
Rain run-off edge Integrated into the construction
Rain canopy Made from stainless steel V2A 1.4301, 240-grit brushed
Side cladding Made from stainless steel V2A 1.4301, 240-grit brushed
Mounting material For wall mounting including fixing hardware (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Postal items are best protected from moisture and dirt when fully inserted and with the insertion flap closed. Bulging items may prevent the flap from closing completely.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixing must be matched to the weight of the unit and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	430.0
Width of letterbox system in mm	355.0
Total width in mm	355.0
Depth in mm	100.0 | 150.0
Weight in kg	8

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618