18-unit 6x3 surface-mounted mailbox system Design BASIC 385A-7016 AP - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 18 mailboxes

Product number 385A-7016-18W



Product description

Wide Surface-mounted Mailbox System BASIC 385A for 18 Households – RAL 7016 Anthracite Grey

The BASIC 385A surface-mounted mailbox system for 18 households is a robust wall solution for larger apartment buildings, housing developments and commercial properties. The wider "W" version distributes the mailboxes across a multi-column front and keeps the overall system lower in proportion and easy to overview.

The mailboxes are made of galvanised steel and are powder-coated in RAL 7016 Anthracite Grey with a fine-textured matt finish. The close-fitting cladding with a rain canopy unites the individual compartments into a closed, modern surface-mounted system.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm insertion aperture is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key numbers and a changeable nameplate located beneath the insertion flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain canopy and side cladding

The rain canopy and side panels combine the individual compartments into a closed surface-mounted system. The coordinated cladding ensures a calm front and a clean finish at the façade.

DIN C4 insertion and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of volume. The 35 × 265 mm insertion aperture also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two numbered keys and protected changeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade mounting. A mounting rail simplifies installation; fixings with screws and wall plugs are included in the described configuration.

Durable finish in RAL 7016

The anthracite-grey fine-textured surface gives the system a modern appearance and protects the galvanised steel for everyday use on the building. The system is manufactured in Germany at the Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 18 individually lockable mailboxes
Single mailbox 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Galvanised steel, powder-coated in RAL 7016 Anthracite Grey fine-textured matt
Finish RAL 7016 Anthracite Grey fine-textured matt
Standard DIN EN 13724

Mail and operation

Insertion aperture 35 × 265 mm, suitable for DIN C4 in portrait orientation
Insertion flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening Opens from left to right
Keys 2 numbered keys per mailbox
Nameplate Changeable nameplate beneath the insertion flap

Cladding and wall installation

Side cladding Close-fitting design
Rain canopy Solid, matching the system
Type of installation Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; check suitability for the wall construction on site
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, suitable fixing solutions must be specified on site.

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the insertion flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Number of boxes	with 18 letterboxes
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	900.0
Total width in mm	908.0
Depth in mm	435.0
Weight in kg	95
Delivery condition	Delivered partly disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618