4-unit surface-mounted mailbox system Design BASIC Plus 385 XA 220 - stainless steel - RAL colour of your choice | with 4 mailboxes (1x4) | 300x220x385 mm (WxHxD) - ???? Large 25 litres | BI-Color VA brushed | ? Colour of your choice



Product number 385XA220-RALVA-4

Product description

Surface-mounted mailbox system BASIC Plus 385XA 220 for 4 households – 25 litres per compartment – BI-Color RAL / stainless steel

The BASIC Plus 385XA surface-mounted mailbox system for 4 households is a robust wall solution for multi-family homes, smaller residential complexes as well as office and medical practice buildings. The balanced arrangement groups all mailboxes into a clearly structured and visually unified wall unit.

The BASIC Plus BI-Color version combines powder-coated stainless steel V2A in a RAL colour of your choice with brushed stainless steel accents. This creates an individual, high-quality material combination for modern façades.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm letter aperture is designed for DIN C4 items in portrait orientation. The doors open from left to right; for each mailbox two keys with a key number and a changeable nameplate beneath the letter flap are provided.

The advantages of the BASIC Plus 385XA 220 surface-mounted system at a glance

Rain canopy and side panels

The rain canopy and side panels unite the individual mailboxes into a continuous surface-mounted unit. The coordinated cladding provides a calm front and a neat finish to the façade.

25 litres mail volume per compartment

The compartments measuring 300 × 220 × 385 mm (W × H × D) each offer approx. 25 litres of volume. The 35 × 265 mm letter aperture also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two keys with key number and protected changeable nameplates ensure clear use of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade mounting. A mounting rail facilitates installation; fastening materials with screws and wall plugs are included in the described specification.

BI-Color with RAL and stainless steel

The combination of a freely selectable RAL powder coating and brushed stainless steel creates purposeful contrasts and emphasises the high-quality BASIC Plus construction. BASIC Plus also stands for consistent V2A use, modular construction and readily available spare parts.

Equipment of the BASIC Plus 385XA 220 mailbox system

Mailbox system

Number of mailboxes 4 separately lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Stainless steel V2A in BI-Color version: RAL powder coating with brushed stainless steel accents
Finish BI-Color: RAL colour of choice / brushed stainless steel V2A
Standard DIN EN 13724

Mail and operation

Letter aperture 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Changeable nameplate beneath the letter flap

Cladding and wall mounting

Side panels Close-fitting design
Rain canopy Robust, matching the unit
Mounting type Surface-mounted wall installation
Mounting aid Mounting rail
BASIC Plus Modular construction with spare parts available directly
Fixings Screws and wall plugs included; check suitability for wall installation on site
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, appropriate fixing solutions must be specified on site.

Note on weather protection

Mail is best protected from moisture and soiling only when items are fully inserted and the letter flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

BASIC Plus construction

The BASIC Plus series consistently relies on stainless steel V2A and a modular, installation-friendly design. Spare parts for BASIC Plus systems are available directly.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of boxes	with 4 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	300.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	31
Delivery condition	Supplied partially disassembled.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618