Design letterbox pillar GRIMM - colour of your choice with Ekinex Dico IP video intercom right | Right | ? Colour of your choice | Ekinex DICO



Product number 562-STLPK-SPR-SF-EKX

Product description

Design Mailbox Parcel Column GRIMM with Ekinex Dico IP Video Intercom – The Premium Solution for Mail & Parcels

The Design Mailbox Parcel Column GRIMM combines modern design, high-quality craftsmanship, and maximum flexibility. Made from **2 mm stainless steel V2A 1.4301** and powder-coated in a **colour of your choice**, the column impresses with its timeless elegance and extreme durability. Thanks to the **fully welded construction**, there are no visible screws or rivets, creating a particularly elegant appearance. The **mailbox and parcel box module** is also installed with invisible screws – for a premium look at the highest level.

Especially practical: The modules can be replaced even after many years. This keeps your mailbox parcel column flexible and future-proof at all times. This model is manufactured by the **Mailbox Manufactory in Bad Salzuflen** – quality work "Made in Germany".

A special feature of the system is the proven mechanical parcel lock with a T-handle, which allows for delivery independent of the carrier: The delivery person places the package in the openly accessible compartment and locks it with a simple click. The compartment remains locked until the authorised user opens it with their key. A clever solution – without electronics, without an app, but with maximum security. Whether DHL, UPS, DPD, GLS, Hermes or TNT – any parcel service can use the parcel box. This way, you receive your shipments securely and conveniently, even when you are not at home.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Particularly noteworthy is the seamless integration of the Ekinex Video Intercom IP Dico with the Delégo panel available in sizes of 4, 8 or 10 inches. This high-quality solution offers modern, IP-based door communication with touch control, intelligent management, and brilliant image and sound quality. The precise fitting into the front panel creates a harmonious overall look – perfectly matched to the architecture of modern residential and commercial buildings. The Delégo panels allow for comfortable control directly at the door or centrally in the building and offer diverse options for building networking.

The mailbox GRIMM is not only a visual highlight but also excels in functionality and quality. Thanks to the innovative push-key lock, the mailbox can be operated easily and comfortably with one hand. Open the door with a press and close it without using a key. The lock is optimally protected against weather influences. Additionally, the mailbox features an intelligent retrieval system: The door opens from top to bottom, ensuring that the mail stays securely inside and cannot fall out. The mail can also be inserted comfortably from the front, with high-quality axis dampers ensuring a gentle closing of the insertion flap.

In accordance with DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM mailbox impresses with its durable quality, timeless design, and thoughtful functionality.

Mailbox Module with Functional Box – Comfort and Functionality

- Made from 2 mm stainless steel V2A 1.4301, powder-coated in the desired colour.
- Integrated Ekinex Video Intercom Dico IP door phone 5” (Item No. EK-5DP-VI) with Delégo panel available in sizes of 4, 8, or 10 inches.
- Innovative push-key lock including 2 keys with key number, pleasant locking without a key, optimally protected from weather.
- The retrieval door with opening limiter opens from top to bottom to prevent mail from falling out.
- Front insertion with high-quality axis dampers for very quiet mail insertion.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape – even large letters remain intact. Additional retrieval protection integrated from stainless steel.
- Optimal weather protection through a recessed panel.
- Double box system: The panel can be conveniently installed after construction work and can be replaced at any time.

Parcel Box Module – Safe and Spacious

- Made from 2 mm stainless steel V2A 1.4301, powder-coated in the desired colour.
- Parcel volume: 130 litres – ideal for large shipments.
- Maximum parcel dimensions: 505 × 655 × 340 mm (W × H × D).
- Front parcel retrieval door 510 × 660 mm, opens from left to right.
- Door equipped with durable stainless steel hinges.
- Innovative T-handle parcel lock with snap closure.
- Including 2 keys with key number.
- Icon "PACKAGE" as stainless steel laser engraving.

Construction & Details

- Fully welded support column made from 2 mm stainless steel V2A 1.4301, powder-coated in the desired colour.
- Height: 1.70 m.
- Invisible cable management possible through the body.
- Base plate made of stainless steel (10 mm thick), concealed by an elegant cover panel.
- No visible screws or rivets – seamless design.
- Modules can also be replaced after years – maximum future security.

Important Information:

To achieve optimal water protection for your mail, the mailbox or mailbox system should ideally be placed under a roofed area.

The mail is only protected from water if it is completely placed in the box and the insertion flap is closed. Mail not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GRIMM
Connection technology	LAN
Number of bell push buttons	1 button, 2 buttons, 3 buttons, 4 buttons, 5 buttons, 6 buttons, 7 buttons, 8 buttons, 9 buttons, 10 buttons, 11 buttons, 12 buttons, up to 100 bell buttons, 13 buttons, 14 buttons, 15 buttons, 16 buttons, 17 buttons, 18 buttons, 19 buttons, 20 buttons, 21 buttons, 22 buttons, 23 buttons, 24 buttons
Functions	Camera, Intercom, Keypad, Monitor, Motion detector, Parcel compartment
Number of boxes	with 1 parcel box, with 1 letterbox
Functional box prepared for manufacturer	Ekinex
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Removal of mail	On the front
Boxes by volume	Large > 16 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	Mailbox 460.0 | 500.0 - Parcel box 710.0 | 750.0
Width of single box in mm	Mailbox 560.0 | 600.0 - Parcel Box 560.0 | 600.0
Capacity in litres	Mailboxes 26.0 | Parcel Boxes 130.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Overall height in mm	1700.0
Total width in mm	Korpuss 640.0 | Base Plate 730.0
Depth in mm	Korpus 352.0 | Base Plate 442.0
Weight in kg	95
Delivery condition	Delivery is made assembled.

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618