11-unit freestanding mailbox system Design BASIC 385 ST-R - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 11 mailboxes



Product number 385-7016-11W

Product description

Freestanding 11-unit mailbox system BASIC 385 for 11 households – wide, multi-column version – RAL 7016 Anthracite grey

The BASIC 385 is designed as a freestanding mailbox solution for 11 households. Robust materials, front-facing operation and unrestricted choice of location make the system particularly suitable for apartment buildings, residential complexes and commercially used properties.

The W configuration distributes the mailboxes across a wider, multi-column layout and creates a clear frontage for multiple users.

The mailboxes are made of galvanised steel and are powder-coated in RAL 7016 Anthracite grey with a matte fine-texture finish. A close-fitting side cladding with a rain hood unites the individual mailboxes into a cohesive overall unit.

Each compartment features a letter slot of 35 × 265 mm for DIN C4 items in portrait format. A noise-dampening rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys with key number and a replaceable nameplate located beneath the letter flap.

Key advantages of the BASIC 385 at a glance

Solid stainless-steel stand posts

Round-tube stand posts of approx. 60 mm diameter in brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for permanent use at the property entrance.

Large letter slot to DIN EN 13724

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The letter slot measuring 35 × 265 mm is designed for DIN C4 items in portrait orientation. Larger envelopes can also be inserted without folding.

Quiet insertion and convenient retrieval

A noise-dampening rubber lip reduces the impact of the letter flaps. Mail is retrieved from the front via doors that open from left to right.

Durable finish in RAL 7016

The matte fine-texture surface in Anthracite grey combines a modern appearance with a resilient coating on the galvanised steel.

Proven BASIC quality – Made in Germany

The combination of solid material selection, DIN EN 13724-compliant mailbox compartments and an installation-friendly construction makes the BASIC 385 a durable solution for everyday use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Wide, multi-column version
Number of mailboxes 11 individually usable compartments
Mailbox material Galvanised steel
Finish RAL 7016 Anthracite grey fine-texture matte
Rain hood / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-texture matte
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Letter slot 35 × 265 mm, suitable for DIN C4 portrait
Letter flaps With noise-dampening rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate beneath the letter flap
Standard Mailboxes to DIN EN 13724

Stand posts and accessories

Stand posts Round tube approx. 60 mm in stainless steel V2A 1.4301, brushed
Mounting options Optionally for bolt-on installation or concreting into the ground
Fixings Anchor bolts for bolt-on installation not included; select suitable anchors separately to match the foundation

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres volume is also available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Installation by concreting into the ground

For the freestanding system we recommend a suitably dimensioned concrete foundation. When concreting in, the stainless-steel stand posts must be aligned plumb and permanently anchored in the foundation. Foundation size and embedment depth should be matched to ground conditions, system weight and local circumstances.

Bolt-on installation on a foundation

For bolt-on installation a level and load-bearing concrete foundation is required. Suitable anchor bolts or fixings must be selected to match the substrate and the load on the system. For the BASIC-385-ST-R versions, anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Mail is best protected from moisture and soiling when fully inserted and with the letter flap closed. Protruding items can prevent the flap from closing completely. In extreme weather conditions, moisture may enter the mailbox despite conformity with the standard.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Removal of mail	On the front
Number of boxes	with 11 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	600.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	765.0
Depth in mm	435.0
Weight in kg	64
Delivery condition	Delivery is in blocks; stand elements / mailbox delivered separately.


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen





More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618