2-unit surface-mounted mailbox system Design BASIC 385A-7016 AP - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 2 letterboxes (1x2)



Product number 385A-7016-2S

Product description

Slim surface-mounted mailbox system BASIC 385A for 2 households – RAL 7016 Anthracite grey

The BASIC 385A surface-mounted mailbox system for 2 households is a robust wall solution for semi-detached houses, properties with a granny flat and smaller office buildings. The vertically arranged S-configuration reduces the horizontal space requirement and makes particularly efficient use of the available wall height.

The mailboxes are made of galvanised steel and powder-coated in RAL 7016 Anthracite grey fine texture matt. The close-fitting cladding with rain hood combines the individual compartments into a closed, modern surface-mounted unit.

Each mailbox measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm letter slot is designed for DIN-C4 items in portrait format. The doors open from left to right; each mailbox includes two keys with key number and a changeable nameplate beneath the letter flap.

The advantages of the BASIC 385A surface-mounted unit at a glance

Rain hood and side cladding

Rain hood and side panels combine the individual mail compartments into a closed surface-mounted unit. The coordinated cladding provides a calm front and a neat finish at the façade.

DIN-C4 letter slot and 12-litre capacity

The mail compartments measuring 300 × 110 × 385 mm (W × H × D) each provide approx. 12 litres of volume. The 35 × 265 mm letter slot also accepts larger DIN-C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the letter flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear assignment of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade installation. A mounting rail facilitates installation; fixing materials with screws and wall plugs are included in the described specification.

Robust finish in RAL 7016

The anthracite grey fine-texture finish gives the unit a modern appearance and protects the galvanised steel for daily use on the building. The unit is manufactured in Germany at the Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 2 individually lockable mail compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine texture matt
Finish RAL 7016 Anthracite grey fine texture matt
Standard DIN EN 13724

Mail and operation

Letter slot 35 × 265 mm, suitable for DIN C4 portrait
Letter flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the letter flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Robust, matching design for the unit
Mounting type Surface-mounted wall installation
Mounting aid Mounting rail
Fixing materials Screws and wall plugs included; suitability for the on-site wall structure must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall structure; for other substrates or external thermal insulation composite systems, appropriate fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is only optimally protected from moisture and soiling when items are fully inserted and the letter flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Surface/colour	RAL 7016 anthracite grey
Number of boxes	with 2 letterboxes
Removal of mail	On the front
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	220.0
Width of letterbox system in mm	300.0
Total width in mm	308.0
Depth in mm	435.0
Weight in kg	15
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618