14-unit 5x3 stainless steel freestanding mailbox system Design BASIC Plus 385X ST-R - RAL of your choice | with 14 letterboxes (3x5) | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | ? Colour of your choice



Product number 385XR-14

Product description

Freestanding mailbox system BASIC Plus 385X ST-R for 14 units – colour of your choice

The BASIC Plus 385X ST-R freestanding mailbox system for 14 units is a high-quality freestanding solution for larger residential complexes, multi-occupancy buildings and commercial properties. The balanced multi-unit arrangement uses width and height efficiently and creates a calm, clearly structured front.

The mailboxes are made from V2A stainless steel and are powder-coated in the selected RAL colour. The weather-resistant support posts of brushed V2A stainless steel 1.4301 provide a high-quality contrast and form the stable freestanding substructure.

Each compartment offers a volume of approx. 12 litres. The 35 × 265 mm letter slot is designed for DIN C4 items in portrait format. A noise-damping rubber lip on the flap, front-side mail retrieval and robust doors that open from left to right ensure practical everyday operation.

The advantages of the BASIC Plus 385X ST-R system at a glance

Massive stainless-steel support posts

Ø 60 mm thick support posts of brushed V2A stainless steel 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for permanent use at the property entrance.

DIN C4 letter slot and 12-litre volume

The mail compartments measure 300 × 110 × 385 mm (W × H × D) and each offer approx. 12 litres of volume. The 35 × 265 mm letter slot also accepts larger DIN C4 mail in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

Rubber lips dampen the insertion flaps. Each compartment has a robust lock, two keys with a key number and a protected interchangeable nameplate beneath the insertion flap.

Screw mounting or concreting in

Depending on the version, the stainless-steel support posts are either screwed to a load-bearing foundation or permanently concreted in. This allows the system to be installed according to the structural situation.

BASIC Plus – colour of your choice

The powder-coated V2A mailboxes can be chosen in a RAL colour to suit the architecture. Brushed stainless-steel support posts, modular construction and German manufacture complete the durable system.

Equipment of the BASIC Plus 385X ST-R mailbox system

Mailbox system

Number of mailboxes 14 separately lockable compartments
Individual mailbox 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material V2A stainless steel, powder-coated in selected RAL colour
Letter slot 35 × 265 mm, suitable for DIN C4 portrait
Standard Mailboxes conforming to DIN EN 13724

Mail and operation

Insertion flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the insertion flap
Cladding Tightly fitting side cladding and solid rain canopy

Support posts and installation

Support posts Ø 60 mm V2A stainless steel 1.4301, brushed
Installation types Optionally for screw mounting or concreting in
Overall height Depending on the chosen support post version
Base material Consistent use of V2A stainless steel
Construction Modular and installation-friendly design
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Installation of the freestanding system

Screw mounting requires a level, sufficiently load-bearing foundation. For the version to be concreted in, the support posts must be anchored plumb and permanently in a suitably sized concrete foundation. Fixing and foundation must be adapted to the system weight, ground conditions and local circumstances.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected against moisture and dirt only when items are fully inserted and the insertion flaps are closed. Protruding letters or magazines can prevent the flaps from closing completely.

BASIC Plus construction and spare parts

The BASIC Plus series is modular and installation-friendly. The consistent use of V2A stainless steel supports a long service life; spare parts for BASIC Plus systems are available directly.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 14 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	550.0
Width of letterbox system in mm	900.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	1065.0
Depth in mm	435.0
Weight in kg	88
Delivery condition	Delivery takes place in blocks; freestanding elements / mailbox supplied in separate parts

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618