9-unit (3x3) stainless-steel freestanding mailbox Design BASIC Plus 385X ST-R - 220 mm - RAL colour of your choice | ? Colour of your choice | 300x220x385 mm (WxHxD) - ???? Large 25 litres | with 9 mailboxes



Product number 385XR220-9

Product description

Large-capacity freestanding mailbox system BASIC Plus 385X ST-R for 9 households – 25 litres, colour of your choice

The BASIC Plus 385X ST-R freestanding mailbox system for 9 households is a high-quality standalone solution for larger apartment buildings, residential complexes and commercial properties. The balanced multi-occupant arrangement uses width and height efficiently and results in a calm, clearly structured front.

The mailboxes are made from stainless steel V2A and are powder-coated in the chosen RAL colour. The weather-resistant support posts made from brushed stainless steel V2A 1.4301 provide a high-quality contrast and form the stable freestanding substructure.

Each compartment offers a volume of approximately 25 litres. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait orientation. A noise-damping rubber lip on the mail slot flap, front mail retrieval and robust doors that open from left to right ensure practical everyday operation.

The advantages of the BASIC Plus 385X ST-R system at a glance

Solid stainless steel support posts

Ø 60 mm thick support posts made from brushed stainless steel V2A 1.4301 provide a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

25 litres mail volume per mailbox

The 300 × 220 × 385 mm (W × H × D) compartments each offer approx. 25 litres of volume. The 35 × 265 mm mail slot also accepts larger DIN C4 postal items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure assignment

Rubber lips dampen the mail slot flaps. Each compartment has a robust lock, two keys with a key number and a protected interchangeable nameplate beneath the mail slot flap.

Bolted mounting or concreting in

Depending on the version, the stainless steel support posts are either bolted to a load-bearing foundation or permanently concreted in. This allows the system to be installed to suit the site conditions.

BASIC Plus – Colour of your choice

The powder-coated V2A mailboxes can be selected in a RAL colour to suit the architecture. Brushed stainless steel support posts, modular construction and German manufacture complete the durable system.

Equipment of the BASIC Plus 385X ST-R mailbox system

Mailbox system

Number of mailboxes 9 separately lockable compartments
Individual compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Stainless steel V2A, powder-coated in a RAL colour of your choice
Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Standard Mailboxes in accordance with DIN EN 13724

Mail and operation

Mail slot flaps With noise-damping rubber lip
Mail retrieval Front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the mail slot flap
Cladding Close-fitting side cladding and solid rain canopy

Support posts and installation

Support posts Ø 60 mm stainless steel V2A 1.4301, brushed
Installation methods Available either for screw mounting or concreting in
Overall height Depending on the chosen support post version
Base material Consistent use of stainless steel V2A
Construction Modular and assembly-friendly design
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Installation of the freestanding system

A level, sufficiently load-bearing foundation is required for screw mounting. For the concreting-in version, the support posts must be anchored vertically and permanently in a suitably dimensioned concrete foundation. Fixings and the foundation must be adapted to the system weight, ground conditions and local circumstances.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the mail slot flaps are closed. Protruding letters or magazines can prevent the flaps from closing fully.

BASIC Plus construction and spare parts

The BASIC Plus series is modular and assembly-friendly. The consistent use of stainless steel V2A supports a long service life; spare parts are directly available for BASIC Plus systems.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of boxes	with 9 letterboxes
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	900.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	1065.0
Depth in mm	435.0
Weight in kg	52
Delivery condition	Delivery is made in blocks; freestanding elements and mailbox are supplied in separate parts.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618