Stainless steel wall-mounted letterbox system BASIC 623 - Doorbell intercom - 2 parties | with 2 letterboxes (1x2) | Stainless steel, brushed



Product number 623-VA-2

Product description

BASIC 623 stainless steel through-the-wall letterbox system - bell/intercom station - 2 parties

The stainless steel through-the-wall letterbox has plenty of volume for receiving post and is variable in depth from 290 - 440 mm to suit your wall thickness perfectly (30 degree angle running diagonally to the rear). Each individual letterbox has a size of 300 x 110 x 290 to 440 mm (WxHxD). The boxes comply with the current EN 13724 standard so that A4 envelopes, for example, can be inserted without being bent and protection against break-ins is guaranteed.

The great advantage of a wall-mounted letterbox system is that it is well protected from the weather and therefore very durable. Also well suited for installation in wall pillars. A quality product made in Germany.

- 2 party wall-mounted letterbox system made of brushed V2A stainless steel
- Removal door without end frame (for an even look without interruptions). Front panel is attached to the plaster.
- Inclined, pull-out box made of galvanised steel, powder-coated in RAL 9007.
- Variable depth from 290mm - 440m, 30 degree angle running diagonally to the rear.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, large letters also fit in here without creasing.
- Insertion flaps with noise-absorbing rubber buffers for very quiet insertion of mail.
- The removal door can be opened from left to right.
- Incl. 2 keys with key number & interchangeable name plate under the flap.
- The lettering on the name plates can be changed as required
- Letterbox system with perforated intercom screen and anti-vandalism bell push-button for each letterbox.
- With universal adapter on the back for installing standard built-in loudspeakers.
- Installation instructions included.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Number of bell push buttons	2 buttons
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Number of boxes	with 2 letterboxes
Surface/colour	Brushed
Mounting type	Wall throw-through
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110,0
Width of single box in mm	300,0
Capacity in litres	10,0 - 15,0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	265,0
Depth in mm	290,0 - 440,0
Weight in kg	10

Dimension drawing





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images


FUNKTIONSPRINZIP
A Winkel: 30°
B Tiefe: 30 mm
1 Post-Einwurfseite
2 Post-Entnahmeseite
3 Korpus eines schrägen Briefkastens
4 Frontplatte
Beispiel für den Einbau eines schrägen Durchwurfkastens in eine Mauersäule
Seitenansicht eines schrägen Durchwurfkastens mit einer Frontplatte aus Edelstahl


360
30
300
30
30
386
636
30
190







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618